

# SVENSK STANDARD

## SS-EN ISO 23470:2018



Fastställt/Approved: 2018-10-17  
Utgåva/Edition: 2  
Språk/Language: engelska/English  
ICS: 13.080.20

---

**Markundersökningar – Bestämning av katjonbyteskapacitet (CEC) och utbytbara katjoner med användning av hexamminkobolttrikloridlösning (ISO 23470:2018)**

**Soil quality – Determination of effective cation exchange capacity (CEC) and exchangeable cations using a hexaminecobalt trichloride solution (ISO 23470:2018)**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-80007305>

# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN ISO 23470:2018 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN ISO 23470:2018.

Denna standard ersätter SS-EN ISO 23470:2011, utgåva 1

The European Standard EN ISO 23470:2018 has the status of a Swedish Standard. This document contains the official version of EN ISO 23470:2018.

This standard supersedes the SS-EN ISO 23470:2011, edition 1

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Karaktärisering av avfall, mark och slam, SIS/TK 535.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](https://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN ISO 23470**

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2018

ICS 13.080.20

Supersedes EN ISO 23470:2011

English Version

## Soil quality - Determination of effective cation exchange capacity (CEC) and exchangeable cations using a hexamminecobalt trichloride solution (ISO 23470:2018)

Qualité du sol - Détermination de la capacité d'échange cationique (CEC) effective et des cations échangeables à l'aide d'une solution de trichlorure de cobaltihexammine (ISO 23470:2018)

Bodenbeschaffenheit - Bestimmung der effektiven Kationenaustauschkapazität (KAK) und der austauschbaren Kationen mit Hexamminecobalt-trichlorid-Lösung (ISO 23470:2018)

This European Standard was approved by CEN on 10 September 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

# Contents

Page

<b>European foreword</b> .....	<b>vii</b>
<b>Introduction</b> .....	<b>viii</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Principle</b> .....	<b>1</b>
<b>5 Reagents</b> .....	<b>2</b>
<b>6 Apparatus</b> .....	<b>3</b>
<b>7 Procedure</b> .....	<b>3</b>
7.1 Test portion .....	3
7.2 Exchange reaction .....	4
7.3 Determination of CEC .....	4
7.3.1 General.....	4
7.3.2 Determination of ammonia nitrogen by distillation .....	4
7.3.3 Spectrophotometric determination .....	5
7.3.4 Spectrometric determination of cobalt .....	7
7.4 Determination of cobalt and exchangeable cations .....	7
7.4.1 General.....	7
7.4.2 Standard solutions for exchangeable cations .....	8
7.4.3 Standard solutions for cobalt.....	8
7.4.4 Spectrometric determination of exchangeable cations .....	9
7.4.5 Spectrometric determination of cobalt .....	9
7.4.6 Calculation of exchangeable cations .....	9
<b>8 Test report</b> .....	<b>10</b>
<b>9 Validation</b> .....	<b>10</b>
<b>Annex A (informative) Comparison of different methods for the determination of effective CEC</b> .....	<b>11</b>
<b>Annex B (informative) Results of the interlaboratory comparison for extraction with hexamminecobalt(III)chloride</b> .....	<b>15</b>
<b>Annex C (informative) Results of the interlaboratory comparison for extraction with calcite saturated hexamminecobalt(III)chloride solution</b> .....	<b>17</b>
<b>Annex D (informative) Carbonate and sulfate field model</b> .....	<b>18</b>
<b>Annex E (informative) Effect of minimization of Ca errors by calcite saturation of hexamminecobalt</b> .....	<b>20</b>
<b>Bibliography</b> .....	<b>22</b>

## European foreword

This document (EN ISO 23470:2018) has been prepared by Technical Committee ISO/TC 190 "Soil quality" in collaboration with Technical Committee CEN/TC 444 "Test methods for environmental characterization of solid matrices" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2019, and conflicting national standards shall be withdrawn at the latest by April 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 23470:2011.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### Endorsement notice

The text of ISO 23470:2018 has been approved by CEN as EN ISO 23470:2018 without any modification.

## Introduction

The cation exchange capacity (CEC) of soils and clays as well as the exchangeable cation population are essential features of soil fertility. Various attempts have been made in the literature to measure these parameters accurately and efficiently. The completeness of cation exchange on the other hand is not absolute but should be comparable between different methods. Traditional methods used ammonium or barium as exchangeable cations which require repeated treatments to ensure complete cation exchange. The oldest one-step CEC method is based on hexamminecobalt(III)chloride solution which has a much stronger affinity to soil clay minerals than the typical cations of the soil solution (usually Ca, Mg, Na and K). The principle of this method was published by Morel (1958)[\[1\]](#) and has been modified by Ciesielski and Sterckeman (1997)[\[2\]](#). This method, as described in this document, is very efficient and comparable to the established CEC methods. It determines the effective CEC when used for soils with pH value of <6,5.

All CEC methods including hexamminecobalt(III)chloride have typical limitations such as inflation of exchangeable cations caused by dissolution of carbonates, sulfates or other soluble minerals (compare also ISO 13536). Carbonate dissolution is one of the most frequently occurring source of error (e.g. in the procedure described in ISO 13536), hence, many studies focused on minimization of their dissolution or correction of the dissolved fraction. Reference [\[13\]](#) summarized the discussion and presented solutions for this analytical problem. For calcareous soils or clays, the authors used exchange solutions that were previously equilibrated with calcite. In the course of the extraction, dissolution of carbonates present in the samples was minimized largely and resulting exchangeable Ca values were nearly free of errors. It was a great success compared to methods used in the past ([Annex E](#)). This method using calcite-saturated hexamminecobalt(III)chloride exchange solutions was published as VDLUFA-method[\[6\]](#). The resulting exchangeable cation values agreed well with the total CEC when tested in a round robin ([Annex C](#)) which is a good measure for the plausibility of the results. Using different solution/solid ratios, identical exchangeable cation values were measured indicating absence of systematic errors caused by mineral dissolution (compare the model described in Reference [\[12\]](#), for detection of inflated exchangeable Ca values as described in [Annex D](#)). This calcite-saturated hexamminecobalt(III)chloride exchange solution should be used for calcareous soils and clays only, practically for soils with pH values of  $\geq 6,5$  in which only Ca, Mg, Na and K are present as “exchangeable bases”. Thus, the results are comparable to the determination of potential CEC (for example according to ISO 13563). This method was introduced to avoid erroneous (inflated) Ca values.

Hexamminecobalt(III)chloride is recommended as extractant for non-calcareous soils with a pH value of  $\leq 6,5$ . As the pH value of a soil suspension in the hexamminecobalt(III)chloride solution is close to the pH value of the suspension in water, this method is considered to give the effective CEC, i.e. the CEC at the soil pH value (e.g. according to ISO 11260).



# Soil quality — Determination of effective cation exchange capacity (CEC) and exchangeable cations using a hexamminecobalt(III)chloride solution

**WARNING** — Persons using this document should be familiar with usual laboratory practice. This document does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices.

**IMPORTANT** — It is absolutely essential that tests, conducted in accordance with this document, be carried out by suitably qualified staff.

## 1 Scope

This document specifies a method for the determination of cation exchange capacity (CEC) and the content of exchangeable cations (Al, Ca, Fe, K, Mg Mn, Na) in soils using a hexamminecobalt(III)chloride solution as extractant. For soils containing calcium carbonate a calcite saturated hexamminecobalt(III) chloride solution is specified particularly for determination of exchangeable Ca. This document is applicable to all types of air-dry soil samples which have been prepared according to ISO 11464.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11464, *Soil quality — Pretreatment of samples for physico-chemical analysis*

ISO 11465, *Soil quality — Determination of dry matter and water content on a mass basis — Gravimetric method*

## 3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

## 4 Principle

Cations adsorbed to a soil sample are exchanged with the hexamminecobalt ions of an aqueous solution, with a  $(60 \pm 5)$  min shaking at a temperature of  $(20 \pm 2)$  °C. The CEC is obtained by difference between the initial quantity of hexamminecobalt in solution and the quantity remaining in the extract after the exchange reaction. The measurement of hexamminecobalt concentration in the extract can be performed by determination of total ammonium nitrogen (see 7.3.2), direct spectrophotometric measurement (see 7.3.3) or total cobalt concentrations (see 7.3.4).

The quantities of exchanged cations are determined on the same extract using spectrometric methods such as inductively coupled plasma atomic emission spectrometry (ICP-AES). In case the calcite saturated hexamminecobalt(III)chloride solution is used, the initial Ca concentration of the pure exchange solution shall be determined and subtracted from each exchange solution that has been in contact with soil or clay.

NOTE 1 Exchangeable acidity can also be measured in the hexamminecobalt extract.

## SS-EN ISO 23470:2018 (E)

NOTE 2 When exchangeable cations are held in micropores into which ammonium ions can enter but hexamminecobalt ions cannot, the CEC and exchangeable cations values determined with this method can be smaller than those determined by ammonium acetate method. This has been observed in some soils containing allophane and imogolite, for example soils developed on volcanic rocks.

NOTE 3 When gypsiferous soils or clays are examined, gypsum is dissolved even in calcite saturated hexamminecobalt(III)chloride solution throughout the exchange experiment, which in turn increases measurable Ca concentrations. Dolomite dissolution on the other hand is lowered very much in calcite saturated hexamminecobalt(III)chloride solution and resulting Ca and Mg concentrations are nearly error-free.

NOTE 4 Variation of extraction intensity, particularly time, was proven to be insignificant for bentonites tested in an interlaboratory CEC and exchangeable cation study when varied between 15 min and 120 min using different dispersion techniques such as hand-shaking, vibrating table, rocking platform, sonication, and end-over-end shaking. This was verified for Cu-triethylenetetramine which is similar to cobalthexammine(III)chloride<sup>[13]</sup>.

## 5 Reagents

Only reagents of recognized analytical quality shall be used.

**5.1 Distilled or demineralized water**, exempt from the elements under analysis and having a conductivity under 0,5  $\mu\text{S}/\text{cm}$ .

**5.2 Hexamminecobalt(III)chloride solution**,  $\beta[\text{Co}(\text{NH}_3)_6]\text{Cl}_3 = 0,0166 \text{ mol/l}$ .

Take care that hexamminecobalt(III)chloride is free of adsorbed water before use. Dissolve, to within a milligram, 4,458 g of hexamminecobalt(III)chloride in a volumetric flask containing 700 ml of water (5.1). Make up to the volume and mix.

Supplier: e.g. STREM<sup>1)</sup>, 93-2708. CAS Number: 10534-89-1. 50 g are needed for about 10 l of exchange solution.

**5.3 Anti-bumping granules** (e.g. pumice stone in grain form, glass beads).

**5.4 Boric acid**,  $\beta(\text{H}_3\text{BO}_3) = 40 \text{ g/l}$ .

**5.5 Tashiro indicator**.

Dissolve 2,0 g of methyl red and 1,0 g of methylene blue in 1 000 ml of 95 % ethanol.

**5.6 Phenolphthalein**.

Dissolve 1 g of phenolphthalein in 1 000 ml of 95 % ethanol.

**5.7 Sodium hydroxide solution**, with a density of 33 %.

**5.8 Sulfuric acid**,  $c(\text{H}_2\text{SO}_4) = 0,025 \text{ mol/l}$ .

**5.9 Ammonium sulfate**, for analysis.

**5.10 Stock solutions** of Al, Ca, Fe, K, Mg, Mn, Na,  $\beta(\text{Me}) = 1,000 \text{ g/l}$ .

These solutions are supplied with a certified composition from a reputable source and are checked on a regular basis.

---

1) STREM (strem.com) is an example of a product available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the product named. Equivalent products may be used if they can be shown to lead to the same results.

### 5.11 Calcite saturated hexamminecobalt (III)chloride solution.

Fill up a 2 l beaker with hexamminecobalt(III)chloride solution (5.2). Add 2 g of fine-ground calcite. This mixture is placed in an ultrasonic bath for 30 min. To minimize temperature effects on the solubility of calcite, the solution is stirred for a further 30 min using a magnetic stirrer. After switching off the stirrer, undissolved calcite is allowed to settle overnight. The 2 l beaker is protected by a plastic foil on top during calcite saturation. The solution may be decanted or filtered, however, addition of un-reacted (settled) calcite to the soil sample should be avoided. Two litres (2 l) of exchange solution can be used for approximately 34 samples (34 × 50 ml) plus 2 blanks (2 × 50 ml).

NOTE Reagents 5.3 to 5.9 are prepared only in the case when determination of CEC is carried out by determination of ammonia nitrogen using distillation. They are not needed when spectrophotometric determination is used.

## 6 Apparatus

**6.1 Analytical balance**, the weighing uncertainty range of which will not exceed  $\pm 0,1$  % of the test portion mass.

**6.2 Containers for shaking**, tightly stoppered, rigid or non-rigid wall, having a volume between 75 ml and 100 ml.

**6.3 50 ml dispenser**, set at  $\pm 0,25$  ml of the delivered volume.

**6.4 End-over-end shaker**, allowing the permanent suspension of the soil/extraction solution mixture, placed in ambient air at  $(20 \pm 2)$  °C.

**6.5 Centrifuge and relevant centrifuge vials.**

Centrifugation time and speed depend on the type of centrifuge and are selected with a view of securing a clear supernatant. 4 000 r/min for 20 min are generally sufficient but special care shall be taken due to the high content of fixed hexamminecobalt ions on colloidal particles.

**6.6 Distillation apparatus**, the different parts of the apparatus shall be assembled ensuring tightness in order to prevent any loss of ammonia or entrainment of sodium hydroxide.

**6.7 Microburette.**

**6.8 Spectrophotometer**, allowing measurements to be performed at wavelengths 380 nm and 475 nm, equipped with a 10 mm path length measuring cell.

**6.9 Inductively coupled plasma atomic emission spectrometer.**

**6.10 Ultrasonic bath.**

**6.11 Magnetic stirrer and magnetic stir bar.**

## 7 Procedure

### 7.1 Test portion

Pretreat soil in accordance with ISO 11464.