



Handläggande organ

Standardiseringsgruppen STG

Fastställd

2000-07-28

Utgåva

1

Sida

1 (1+9)

© Copyright SIS. Reproduction in any form without permission is prohibited.

Office furniture – Screens – Part 3: Test methods

The European Standard EN 1023-3:2000 has the status of a Swedish Standard. This document contains the official English version of EN 1023-3:2000.

Swedish Standards corresponding to documents referred to in this Standard are listed in "Catalogue of Swedish Standards", issued by SIS. The Catalogue lists, with reference number and year of Swedish approval, International and European Standards approved as Swedish Standards as well as other Swedish Standards.

Kontorsmöbler – Skärmväggar – Del 3: Provningsmetoder

Europastandarden EN 1023-3:2000 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 1023-3:2000.

Motsvarigheten och aktualiteten i svensk standard till de publikationer som omnämns i denna standard framgår av "Katalog över svensk standard", som ges ut av SIS. I katalogen redovisas internationella och europeiska standarder som fastställts som svenska standarder och övriga gällande svenska standarder.

ICS 97.140

Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.
Postadress: SIS, Box 6455, 113 82 STOCKHOLM
Telefon: 08 - 610 30 00. Telefax: 08 - 30 77 57
E-post: sis.sales@sis.se. Internet: www.sisforlag.se

Upplysningar om **sakinnehållet** i standarden lämnas av STG.
Telefon: 08 - 13 62 50. Telefax: 08 - 618 61 28
E-post: info@stg.se

Prisgrupp N

Tryckt i september 2000

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 1023-3

May 2000

ICS 97.140

English version

Office furniture - Screens - Part 3: Test methods

Mobilier de bureau - Cloisons - Partie 3: Méthodes d'essai

Büromöbel - Raumgliederungselemente - Teil 3: Prüfung

This European Standard was approved by CEN on 8 April 2000.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Contents

	Page
Foreword	2
1 Scope	3
2 Normative references	3
3 Definitions	3
4 General test conditions	3
5 Test apparatus	4
6 Test methods	5
7 Test report	9

Foreword

This European Standard has been prepared by Technical Committee CEN/TC 207 "Furniture", the secretariat of which is held by IBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2000, and conflicting national standards shall be withdrawn at the latest by November 2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This part of EN 1023 specifies the test methods for stability and for the structure of office screens.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 1023-2 Office furniture - Screens - Part 2 : Mechanical safety requirements

3 Definitions

For the purposes of this standard, the following definition applies :

3.1 add-on elements

types of furniture items to be attached on screens (worktops, shelves, hanging cupboards, lateral pull-out filing drawers...).

4 General test conditions

The manufacturer shall indicate in his instruction manual the recommended screen configurations, the method of attachment of components, how to use the screens in combination with the different add-on elements, as well as the maximum admissible load of each type of screen (load in kg for 1 m of screen width).

In case of designs not catered for in the test procedures, carry out the test as far as possible as described and state any deviations in the test report.

4.1 Preliminary preparation

Before any of the tests are commenced, the item shall be old enough to ensure that it has developed its full strength. At least four weeks in normal indoor conditions shall have elapsed between manufacture and testing in the case of glued joints in timber and the like.

The furniture shall be tested as delivered. Knock-down furniture shall be assembled according to the instructions supplied with it. If the furniture can be assembled or combined in different ways, the most adverse combination shall be used for each test. Knock-down fittings shall be tightened before testing.

For each test, all components shall be in their least favourable position.

The tests shall be carried out in normal indoor ambient conditions but, if during a test, the atmosphere temperature is outside the range 15° to 25°, the maximum and/or minimum temperature shall be recorded in the report.

4.2 Test equipment

The forces in strength tests shall be applied sufficiently slowly to ensure that dynamic effects are negligible.

Test loads and test forces may be applied by any suitable device because results are not dependent upon the apparatus.

Unless otherwise specified, loading pads shall pivot and shall be fixed so that they do not prevent the screen from moving during testing.

4.3 Tolerances

Unless otherwise stated :

- all forces shall have an accuracy of $\pm 5\%$ of the nominal force ;
- all dimensions an accuracy of ± 1 mm of the nominal dimension ;
- all masses an accuracy of $\pm 1\%$ of the nominal mass ;
- the tolerance for position of loading pads shall be ± 5 mm.

4.4 Test sequence

The tests shall be carried out on the same sample and in the order specified in EN 1023-2.

5 Test apparatus

5.1 Floor surface

A rigid, horizontal and flat surface.

5.2 Stops

Stops are intended to prevent the screen from sliding but not from overturning. They shall be not higher than 12 mm except in cases when the design of the screen needs the use of higher stops. In this case, the lowest position to prevent the screen from sliding shall be used.

5.3 Loading pad

A rigid cylindrical pad, 200 mm in diameter, with a flat face and a 12 mm edge radius.

5.4 Horizontal force application device

A device which can apply a horizontal force through the loading pad (5.3). The device shall not hinder free movement of the screen being tested.

5.5 Vertical force application device

A device which can apply a vertical force through the loading pad (5.3).