

SVENSK STANDARD

SS-EN 14255-3:2008

Fastställt/Approved: 2008-03-31

Publicerad/Published: 2008-04-17

Utgåva/Edition: 1

Språk/Language: engelska/English

ICS: 17.240

Mätning och bedömning av exponering för inkoherent optisk strålning – Del 3: UV-strålning från solen

Measurement and assessment of personal exposures to incoherent optical radiation – Part 3: UV-Radiation emitted by the sun

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-65665>

Hitta rätt produkt och ett leveranssätt som passar dig

Standarder

Genom att följa gällande standard både effektiviserar och säkrar du ditt arbete. Många standarder ingår dessutom ofta i paket.

Tjänster

Abonnemang är tjänsten där vi uppdaterar dig med aktuella standarder när förändringar sker på dem du valt att abonnera på. På så sätt är du säker på att du alltid arbetar efter rätt utgåva.

e-nav är vår online-tjänst som ger dig och dina kollegor tillgång till standarder ni valt att abonnera på dygnet runt. Med e-nav kan samma standard användas av flera personer samtidigt.

Leveranssätt

Du väljer hur du vill ha dina standarder levererade. Vi kan erbjuda dig dem på papper och som pdf.

Andra produkter

Vi har böcker som underlättar arbetet att följa en standard. Med våra böcker får du ökad förståelse för hur standarder ska följas och vilka fördelar den ger dig i ditt arbete. Vi tar fram många egna publikationer och fungerar även som återförsäljare. Det gör att du hos oss kan hitta över 500 unika titlar. Vi har även tekniska rapporter, specifikationer och "workshop agreement".

Matriser är en översikt på standarder och handböcker som bör läsas tillsammans. De finns på sis.se och ger dig en bra bild över hur olika produkter hör ihop.

Standardiseringsprojekt

Du kan påverka innehållet i framtida standarder genom att delta i någon av SIS ca 400 Tekniska Kommittéer.

Find the right product and the type of delivery that suits you

Standards

By complying with current standards, you can make your work more efficient and ensure reliability. Also, several of the standards are often supplied in packages.

Services

Subscription is the service that keeps you up to date with current standards when changes occur in the ones you have chosen to subscribe to. This ensures that you are always working with the right edition.

e-nav is our online service that gives you and your colleagues access to the standards you subscribe to 24 hours a day. With e-nav, the same standards can be used by several people at once.

Type of delivery

You choose how you want your standards delivered. We can supply them both on paper and as PDF files.

Other products

We have books that facilitate standards compliance. They make it easier to understand how compliance works and how this benefits you in your operation. We produce many publications of our own, and also act as retailers. This means that we have more than 500 unique titles for you to choose from. We also have technical reports, specifications and workshop agreements.

Matrices, listed at sis.se, provide an overview of which publications belong together.

Standardisation project

You can influence the content of future standards by taking part in one or other of SIS's 400 or so Technical Committees.

Europastandarden EN 14255-3:2008 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 14255-3:2008.

The European Standard EN 14255-3:2008 has the status of a Swedish Standard. This document contains the official English version of EN 14255-3:2008.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00.

Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), tel +46 8 555 520 00.

Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

SIS Förlag AB, SE 118 80 Stockholm, Sweden. Tel: +46 8 555 523 10. Fax: +46 8 555 523 11.

E-mail: sis.sales@sis.se Internet: www.sis.se

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 14255-3

March 2008

ICS 17.240

English Version

**Measurement and assessment of personal exposures to
incoherent optical radiation - Part 3: UV-Radiation emitted by the
sun**

Mesurage et évaluation des expositions individuelles au
rayonnement optique incohérent - Partie 3: Rayonnement
ultraviolet émis par le soleil

Messung und Beurteilung von personenbezogenen
Expositionen gegenüber inkohärenter optischer Strahlung -
Teil 3: Von der Sonne emittierte UV-Strahlung

This European Standard was approved by CEN on 16 February 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword.....	4
Introduction	5
1 Scope	7
2 Normative references	7
3 Terms and definitions	8
3.1 Symbols, terms and units	8
3.2 Definitions	8
4 Survey of procedures	11
5 Risk assessment using the solar UV-Index I_{UV}	12
5.1 General.....	12
5.2 Determination of solar UV-Index I_{UV}	12
5.3 Risk assessment.....	13
5.4 Decision on protective measures	14
5.5 Advantages and limitations	14
6 Determination and assessment of the skin exposure factor	14
6.1 General.....	14
6.2 Skin exposure factor	14
6.2.1 General.....	14
6.2.2 Calculation of the skin exposure factor	15
6.2.3 Assessment.....	15
6.3 Advantages and limitations	16
7 Calculation of solar radiation exposures by radiative transfer models.....	16
7.1 General.....	16
7.2 Models for the calculation of UV-exposure.....	16
7.3 Assessment of the result	17
7.4 Necessity of protective measures.....	17
7.5 Advantages and limitations of the procedures	17
8 Measurement of erythema effective radiant exposure H_{er}	17
8.1 General.....	17
8.2 Quantities to be measured.....	18
8.3 Description of the methods	18
8.4 Advantages and limitations	19
9 Measurement of non-melanoma skin cancer radiant exposure H_{nmSC}	19
9.1 General.....	19
9.2 Procedure	20
9.3 Protective measures.....	20
9.4 Advantages and limitations	20
10 Measurement and assessment according to EN 14255-1	20
10.1 General.....	20
10.2 Procedure	21
10.3 Protective measures.....	21
10.4 Advantages and limitations	21
11 Sun protection measures.....	22
Annex A (normative) Relation between skin type and minimal erythema dose.....	23
Annex B (informative) Examples of protective measures.....	24
Annex C (informative) UV skin and eye risks	25

Annex D (informative) Methods for the measurement of solar erythemal effective radiant exposure H_{er}	26
D.1 General	26
D.2 Methods A to F for the measurement of the erythemal effective radiant exposure H_{er}	26
D.2.1 General	26
D.2.2 Method A	27
D.2.3 Method B	27
D.2.4 Method C	28
D.2.5 Method D	28
D.2.6 Method E	29
D.2.7 Method F	29
Bibliography	31

SS-EN 14255-3:2008 (E)

Foreword

This document (EN 14255-3:2008) has been prepared by Technical Committee CEN/TC 169 “Light and lighting”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2008, and conflicting national standards shall be withdrawn at the latest by September 2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

EN 14255 *Measurement and assessment of personal exposures to incoherent optical radiation* is published in four parts:

- *Part 1: Ultraviolet radiation emitted by artificial sources in the workplace*
- *Part 2: Visible and infrared radiation emitted by artificial sources in the workplace*
- *Part 3 (this part): UV-Radiation emitted by the sun*
- *Part 4: Terminology and quantities used in UV-, visible and IR-exposure measurements*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

People may be exposed to ultraviolet (UV) radiation emitted by artificial or natural sources. The most important natural source for UV-radiation exposure is the sun. Depending on global factors such as geographical position, season, time of day, altitude, cloudiness and individual factors such as clothing, the time spent outdoors may result in a significant UV-exposure to the sun.

Exposure to ultraviolet radiation from the sun is of considerable health concern. UV-exposure can produce both beneficial and harmful health effects. Vitamin D production is recognized as a beneficial effect. Acute harmful effects on the eyes and the skin can be induced by short term UV-irradiation of high intensity. Typical injuries are photoconjunctivitis and photokeratitis of the eye and UV-erythema of the skin. Minor doses of UV-radiation may induce or aggravate some diseases such as porphyria or lupus erythematosus or may trigger phototoxic and photoallergic reactions.

The visible and the infrared part of the radiation spectrum of the sun may also cause short term injuries, when overexposure occurs, such as thermal damage to the skin as well as thermal and photochemical injuries of the retina of the eyes. However, visible and infrared radiation exposures are not dealt with in this standard.

Additionally, long term UV-irradiation may result in damage to the eyes and skin, such as cataracts, skin aging and skin cancer. There is also increasing evidence that UV-exposure suppresses the immune system, which could lead to a reduction in the efficacy of immunization programmes and increase the spread of infectious diseases. Between two and three million non-melanoma skin cancers are diagnosed worldwide each year which are rarely fatal and can be surgically removed; approximately 132,000 melanoma skin cancers occur globally each year. Melanoma is responsible for approximately 80 % of an estimated 66,000 deaths annually due to skin cancer [1].

Worldwide some 12 to 15 million people become blind from cataracts annually, of which up to 20% may be caused or aggravated by sun exposure, according to estimates by the World Health Organization (WHO). These numbers will increase as the stratospheric ozone layer is depleted over the next decades, unless people become aware of the hazards of UV-radiation exposure, especially from the sun [2].

In order to avoid short term injuries and reduce additional risks from long term UV-exposures international recommendations advise restriction of solar UV-exposures [3]. To achieve this, it is necessary to determine the level of solar UV-exposure and assess its gravity. Such determination can be achieved either by measurements or by estimations.

This European Standard supports the application of recommendations of international or European organisations (e. g. WHO, ICNIRP¹⁾, EUROSUN) for protection against harmful solar UV-exposure.

This standard specifies procedures for the measurement or estimation and the assessment of solar UV-exposures. For radiation protection purposes it is not always necessary to determine exactly the personal solar UV-exposure. Often a more general determination of the solar UV-exposure level is sufficient. The UV-Index is one of the means for that. The UV-Index can describe the current measured, the expected daily maximum, or the expected daily trend of the erythemally effective irradiance. It is based on regional measurements or calculations of the global solar radiation. It is published by various organisations and in weather forecasts. It can be used to forecast the expected solar UV-exposure and to plan protective measures, if necessary. So it is a means to determine an approximate personal solar UV-exposure. As the UV-Index is usually determined for a larger regional area the local solar UV-exposure may deviate due to different cloud cover and other reasons. So the local and individual UV-exposure assessment has to be adjusted accordingly.

1) ICNIRP International Commission on Non-Ionizing Radiation

SS-EN 14255-3:2008 (E)

A similar approach is the determination of the skin and ocular exposure factors [4, 5]. It allows an approximate local solar UV-exposure estimation. As it is not based on measurements the uncertainty may be larger than an estimation based on the UV-Index. However this method does take local factors (cloud cover, albedo) and individual factors (clothing and protective measures) into account.

For the planning of solar UV-radiation protection purposes when travelling, a calculation of the global solar radiation exposure depending on season, time of day, geographical position, etc. may be helpful. There are software programs which allow such calculations.

In some cases it is necessary to determine the personal solar UV-exposure more exactly. This can be done by measurements of the erythematous and/or the non-melanoma skin cancer radiant exposure. These exposure data can be used to determine individual risks.

Personal solar UV-exposures can in some cases also be determined by UV-exposure measurements according to EN 14255-1. The results can be compared to recommended or required limit values in order to assess the gravity of the exposure.

When the solar UV-exposure exceeds a certain level it may be necessary to apply protective measures in order to avoid injuries of the skin and the eyes. This standard does not specify sun protection measures but gives corresponding reference sources.

1 Scope

This European Standard specifies procedures for the measurement or estimation and the assessment of personal exposures to ultraviolet radiation emitted by the sun.

NOTE 1 According to CIE 17.4 UV-radiation is defined as an electromagnetic radiation with wavelength between 100 nm and 400 nm. Due to atmospheric absorption only solar UV-radiation in the spectral region between 280 nm and 400 nm reaches the earth's surface in significant amounts.

This European Standard applies to solar UV-exposures when staying outdoors.

This European Standard is applicable to workers and to the general population.

This European Standard does not apply to UV-exposures caused by artificial sources, e.g. UV-lamps, welding arcs.

NOTE 2 Part 1 of this European Standard deals with UV-exposures caused by artificial sources.

NOTE 3 For radiation emissions of products other standards apply, such as CIE S 009 for lamps and lamp systems, EN 60335-2-27 [6] for sunbeds, EN 60335-2-59 [7] for insect killers and EN 12198 [8] for radiation emissions of machinery.

This European Standard does not apply to radiation exposures which concern the retina of the eyes.

NOTE 4 Ultraviolet and visible radiation exposures of the eyes may result in photochemical damage to the retina (this is often called the blue light hazard). The associated action spectrum contains mainly visible radiation and only a very small contribution in the ultraviolet region. The determination and assessment of radiation which may result in a blue light hazard may be done in accordance with part 2 of EN 14255 [20].

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 14255-1:2005, *Measurement and assessment of personal exposures to incoherent optical radiation — Part 1: Ultraviolet radiation emitted by artificial sources in the workplace*

EN 14255-4:2006, *Measurement and assessment of personal exposures to incoherent optical radiation — Part 4: Terminology and quantities used in UV-, visible and IR-exposure measurements*

CIE S 013, *International standard global solar UV-Index*

CIE 17.4, *International lighting vocabulary; Chapter 845: lighting*

CIE S 019, *Photocarcinogenesis Action Spectrum (Non-Melanoma Skin Cancers)*

ISO/CIE 17166, *Erythema reference action spectrum and standard erythema dose*