

SVENSK STANDARD

SS-EN 817:2008

Fastställt/Approved: 2008-07-07

Publicerad/Published: 2008-09-01

Utgåva/Edition: 2

Språk/Language: engelska/English

ICS: 91.140.70

Sanitetsarmatur – Mekaniska blandare i högtryckssystem (PN 10) – Engreppsblandare allmänna krav

Sanitary tapware – Mechanical mixing valves (PN 10) – General technical specifications

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-66801>

Hitta rätt produkt och ett leveranssätt som passar dig

Standarder

Genom att följa gällande standard både effektiviserar och säkrar du ditt arbete. Många standarder ingår dessutom ofta i paket.

Tjänster

Abonnemang är tjänsten där vi uppdaterar dig med aktuella standarder när förändringar sker på dem du valt att abonnera på. På så sätt är du säker på att du alltid arbetar efter rätt utgåva.

e-nav är vår online-tjänst som ger dig och dina kollegor tillgång till standarder ni valt att abonnera på dygnet runt. Med e-nav kan samma standard användas av flera personer samtidigt.

Leveranssätt

Du väljer hur du vill ha dina standarder levererade. Vi kan erbjuda dig dem på papper och som pdf.

Andra produkter

Vi har böcker som underlättar arbetet att följa en standard. Med våra böcker får du ökad förståelse för hur standarder ska följas och vilka fördelar den ger dig i ditt arbete. Vi tar fram många egna publikationer och fungerar även som återförsäljare. Det gör att du hos oss kan hitta över 500 unika titlar. Vi har även tekniska rapporter, specifikationer och "workshop agreement".

Matriser är en översikt på standarder och handböcker som bör läsas tillsammans. De finns på sis.se och ger dig en bra bild över hur olika produkter hör ihop.

Standardiseringsprojekt

Du kan påverka innehållet i framtida standarder genom att delta i någon av SIS ca 400 Tekniska Kommittéer.

Find the right product and the type of delivery that suits you

Standards

By complying with current standards, you can make your work more efficient and ensure reliability. Also, several of the standards are often supplied in packages.

Services

Subscription is the service that keeps you up to date with current standards when changes occur in the ones you have chosen to subscribe to. This ensures that you are always working with the right edition.

e-nav is our online service that gives you and your colleagues access to the standards you subscribe to 24 hours a day. With e-nav, the same standards can be used by several people at once.

Type of delivery

You choose how you want your standards delivered. We can supply them both on paper and as PDF files.

Other products

We have books that facilitate standards compliance. They make it easier to understand how compliance works and how this benefits you in your operation. We produce many publications of our own, and also act as retailers. This means that we have more than 500 unique titles for you to choose from. We also have technical reports, specifications and workshop agreements.

Matrices, listed at sis.se, provide an overview of which publications belong together.

Standardisation project

You can influence the content of future standards by taking part in one or other of SIS's 400 or so Technical Committees.

Europastandarden EN 817:2008 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 817:2008.

Denna standard ersätter SS-EN 817, utgåva 1.

The European Standard EN 817:2008 has the status of a Swedish Standard. This document contains the official English version of EN 817:2008.

This standard supersedes the Swedish Standard SS-EN 817, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00.

Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), tel +46 8 555 520 00.

Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

SIS Förlag AB, SE 118 80 Stockholm, Sweden. Tel: +46 8 555 523 10. Fax: +46 8 555 523 11.

E-mail: sis.sales@sis.se Internet: www.sis.se

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 817

June 2008

ICS 91.140.70

Supersedes EN 817:1997

English Version

Sanitary tapware - Mechanical mixing valves (PN 10) - General technical specifications

Robinetterie sanitaire - Mitigeurs mécaniques (PN 10) -
Spécifications techniques générales

Sanitärarmaturen - Mechanisch einstellbare Mischer (PN
10) - Allgemeine technische Spezifikation

This European Standard was approved by CEN on 29 May 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	page
Foreword.....	6
Introduction	7
1 Scope	8
2 Normative references	10
3 Terms, definitions and designation	10
3.1 Terms and definitions	10
3.2 Designation	11
4 Marking and identification	11
4.1 Marking	11
4.2 Identification.....	12
5 Materials	12
5.1 Chemical and hygiene requirements	12
5.2 Exposed surface conditions.....	12
6 Dimensional characteristics	12
6.1 General remarks.....	12
6.2 Inlet dimensions.....	12
6.3 Outlet dimensions.....	17
6.4 Mounting dimensions.....	19
6.5 Special cases	20
6.6 Flexible hoses for shower outlets.....	20
6.7 Shower outlets	20
7 Sequence of testing.....	21
8 Leaktightness characteristics	21
8.1 General.....	21
8.2 Test methods.....	21
8.3 Leaktightness of the obturator and of the mixing valve upstream of the obturators with the obturator in the closed position.....	22
8.4 Leaktightness of the mixing valve downstream of the obturator with the obturator open	22
8.5 Leaktightness of manually operated diverter	22
8.6 Leaktightness and operation of diverter with automatic return	23
8.7 Leaktightness of the obturator: cross flow between hot water and cold water.....	24
9 Pressure resistance characteristics – mechanical performance under pressure	26
9.1 General.....	26
9.2 Principle.....	26
9.3 Apparatus	26
9.4 Mechanical behaviour upstream of the obturator – obturator in the closed position.....	26
9.5 Mechanical behaviour downstream of the obturator – obturator in the open position	26
10 Hydraulic characteristics	27
10.1 General.....	27
10.2 Initial settings.....	27
10.3 Principle.....	28
10.4 Apparatus	28
10.5 Procedure	28
10.6 Determination of flow rate	29
10.7 Determination of sensitivity.....	30
11 Mechanical strength characteristics - torsion test for operating mechanism	33

11.1	General	33
11.2	Test method	33
12	Mechanical endurance characteristics	34
12.1	Mechanical endurance of the control device	34
12.2	Mechanical endurance of diverters	38
12.3	Mechanical endurance of swivel spouts	40
13	Backflow protection	41
14	Acoustic characteristics	41
14.1	General	41
14.2	Procedure	41
14.3	Requirements	41
	Annex A (informative) Apparatus	43
	Annex B (informative) Pressure take-off tee	47
	Bibliography	50

Figures

Figure 1	Supply system with a pressure range of (0,05 to 1,0) MPa [(0,5 to 10) bar].....	9
Figure 2	Flexible hoses and plain tube	14
Figure 3	Multi-hole mechanical mixing valve.....	15
Figure 4	Supply connections for mechanical mixing valve and remote outlets	16
Figure 5	Remote outlet	18
Figure 6	Single hole mechanical mixing valve.....	18
Figure 7	Two hole mechanical mixing valve	18
Figure 8	Single hole mechanical mixing valve.....	19
Figure 9	Two hole mechanical mixing valve	20
Figure 10	Sensitivity curve.....	31
Figure 11	Radius for the determination of sensitivity	32
Figure 12	Rectangular movement	34
Figure 13	Triangular movement.....	35
Figure 14	Test bench adjustment torque for conventionnal mixing valve.....	37
Figure 15	Test bench adjustment torque for joystick mixing valve.....	37
Figure 16	Test bench adjustment torque for sequential mixing valve	37
Figure A 1	Supply circuits	43
Figure A 2	Test circuit.....	45
Figure A 3	Mounting of the mixing valve	46
Figure B 1	Pressure take-off tee	47
Figure B 2	Schematic examples of pressure take-off tees	48

Tables

Table 1	Conditions of use/Classifications	8
Table 2	Designation	11
Table 3	Inlet dimensions (mechanical mixing valve)	13
Table 4	Outlet dimensions (Remote outlets, mechanical mixing valve)	17
Table 5	Mounting dimensions (Outlets, single- and multi-hole mechanical mixing valve)	19
Table 6	Test Sequence	21
Table 7	Summary of leaktightness tests	25
Table 8	Summary of pressure resistance characteristic tests	27
Table 9	Initial Settings	27
Table 10	Flow rates according to application	29
Table 11	Performance levels	30
Table 12	Summary of test conditions for cartridges	35
Table 13	Summary of test conditions for diverters	39
Table 14	Flow rate classes (EN ISO 3822-4 Annex A)	41
Table 15	Acoustic group	42
Table A 1	Connecting dimension	45
Table B 1	Dimensions of the pressure take-off tee	47

SS-EN 817:2008 (E)

Foreword

This document (EN 817:2008) has been prepared by Technical Committee CEN/TC 164 "Water supply", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2008, and conflicting national standards shall be withdrawn at the latest by December 2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 817:1997.

This European Standard acknowledges the field of application for mechanical mixing valves used in water supply systems with a pressure range of (0,05 to 1,0) MPa (0,5 bar to 10 bar).

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

In respect of potential adverse effects on the quality of water intended for human consumption, caused by the product covered by this European Standard.

This European Standard provides no information as to whether the product can be used without restriction in any of the Member States of the EU or EFTA.

It should be noted that, while awaiting the adoption of verifiable European criteria, existing national regulations concerning the use and/or the characteristics of these products remain in force.

This document identifies characteristics and technical requirements for mechanical mixing valves.