

SVENSK STANDARD

SS-ISO 12164-4:2008

Fastställt/Approved: 2008-11-24

Publicerad/Published: 2008-12-18

Utgåva/Edition: 1

Språk/Language: engelska/English

ICS: 25.060.20

Verktygskopplingar – Konisk verktygskoppling med flänskontakt –

Del 4: Mått för hållare för stationära verktyg (ISO 12164-4:2008, IDT)

Hollow taper interface with flange contact surface – Part 4: Dimensions of receivers for stationary tools (ISO 12164-4:2008, IDT)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-68259>



SWEDISH
STANDARDS
INSTITUTE

Hitta rätt produkt och ett leveranssätt som passar dig

Standarder

Genom att följa gällande standard både effektiviserar och säkrar du ditt arbete. Många standarder ingår dessutom ofta i paket.

Tjänster

Abonnemang är tjänsten där vi uppdaterar dig med aktuella standarder när förändringar sker på dem du valt att abonnera på. På så sätt är du säker på att du alltid arbetar efter rätt utgåva.

e-nav är vår online-tjänst som ger dig och dina kollegor tillgång till standarder ni valt att abonnera på dygnet runt. Med e-nav kan samma standard användas av flera personer samtidigt.

Leveranssätt

Du väljer hur du vill ha dina standarder levererade. Vi kan erbjuda dig dem på papper och som pdf.

Andra produkter

Vi har böcker som underlättar arbetet att följa en standard. Med våra böcker får du ökad förståelse för hur standarder ska följas och vilka fördelar den ger dig i ditt arbete. Vi tar fram många egna publikationer och fungerar även som återförsäljare. Det gör att du hos oss kan hitta över 500 unika titlar. Vi har även tekniska rapporter, specifikationer och "workshop agreement".

Matriser är en översikt på standarder och handböcker som bör läsas tillsammans. De finns på sis.se och ger dig en bra bild över hur olika produkter hör ihop.

Standardiseringsprojekt

Du kan påverka innehållet i framtida standarder genom att delta i någon av SIS ca 400 Tekniska Kommittéer.

Find the right product and the type of delivery that suits you

Standards

By complying with current standards, you can make your work more efficient and ensure reliability. Also, several of the standards are often supplied in packages.

Services

Subscription is the service that keeps you up to date with current standards when changes occur in the ones you have chosen to subscribe to. This ensures that you are always working with the right edition.

e-nav is our online service that gives you and your colleagues access to the standards you subscribe to 24 hours a day. With e-nav, the same standards can be used by several people at once.

Type of delivery

You choose how you want your standards delivered. We can supply them both on paper and as PDF files.

Other products

We have books that facilitate standards compliance. They make it easier to understand how compliance works and how this benefits you in your operation. We produce many publications of our own, and also act as retailers. This means that we have more than 500 unique titles for you to choose from. We also have technical reports, specifications and workshop agreements.

Matrices, listed at sis.se, provide an overview of which publications belong together.

Standardisation project

You can influence the content of future standards by taking part in one or other of SIS's 400 or so Technical Committees.

Den internationella standarden ISO 12164-4:2008 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 12164-4:2008.

The International Standard ISO 12164-4:2008 has the status of a Swedish Standard. This document contains the official English version of ISO 12164-4:2008.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00.

Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), tel +46 8 555 520 00.

Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

SIS Förlag AB, SE 118 80 Stockholm, Sweden. Tel: +46 8 555 523 10. Fax: +46 8 555 523 11.

E-mail: sis.sales@sis.se Internet: www.sis.se

SS-ISO 12164-4:2008 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 12164-4 was prepared by Technical Committee ISO/TC 29, *Small tools*.

ISO 12164 consists of the following parts, under the general title *Hollow taper interface with flange contact surface*:

- *Part 1: Shanks — Dimensions*
- *Part 2: Receivers — Dimensions*
- *Part 3: Dimensions of shanks for stationary tools*
- *Part 4: Dimensions of receivers for stationary tools*

Hollow taper interface with flange contact surface —

Part 4: Dimensions of receivers for stationary tools

1 Scope

This part of ISO 12164 specifies dimensions for receivers with taper and flange contact surfaces for hollow taper shanks in accordance with ISO 12164-3 to be applied to machine tools (e.g. turning machines, turning-mill machines). A range of sizes is specified.

This part of ISO 12164 specifies the receiver of type T. It is for automatic tool exchange and manual clamping, which is achieved via holes in both the receiver and the tool shank.

The torque is transmitted via the tail end of the shank through keys as well as friction.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1101, *Geometrical Product Specifications (GPS) — Geometrical tolerancing — Tolerances of form, orientation, location and run-out*

ISO 2768-1, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

ISO 3040, *Technical drawings — Dimensioning and tolerancing — Cones*

3 Dimensions


3.1 General

Dimensions of receivers for hollow taper shanks with flange contact surface for stationary tools, type T, are specified in Figure 1, Table 1, and Annex A. Details not specified in Figures 1 shall be chosen expediently. Tolerancing of form, orientation, location and run-out is in accordance with ISO 1101. Dimensioning and tolerancing of cones are in accordance with ISO 3040. Tolerances not specified shall be of tolerance class «m» in accordance with ISO 2768-1.

3.2 Receiver for hollow taper shank, type T

The dimensions of receiver for hollow taper shanks, type T, shall be in conformance with Figure 1 and Table 1.

Dimensions in millimetres
Surface roughness values in micrometres



Key

- 1 cutting edge
- 2 tenon
- 3 hole for manual clamping
- a When tenons are inserted, the taper hole may be conical over the total length l_1 .
- b Position of the cutting edge for right-hand tools with single cutting edged.
- c Tenon alternative integrated or inserted.
- d Not convex.
- e Inside edge min. 0,5 mm \times 45° chamfer.

Figure 1 — Dimensions of receivers

Table 1 — Dimensions

Dimensions in millimetres

Nominal size	32	40	50	63	80	100	125	160
b_1 ± 0,05	6,8	7,8	10,3	12,3	15,8	19,78	24,78	29,78
b_2	6,92	7,92	10,41	12,41	15,91	19,89	24,89	29,89
tol.	$\begin{matrix} 0 \\ -0,025 \end{matrix}$				$\begin{matrix} 0 \\ -0,03 \end{matrix}$			
d_1 min.	32	40	50	63	80	100	125	160
d_2	23,998	29,998	37,998	47,998	59,997	74,997	94,996	119,995
d_3^a	17	21	26	34	42	53	67	85
d_4^b $\begin{matrix} +0,1 \\ 0 \end{matrix}$	23,28	29,06	36,85	46,53	58,1	72,6	92,05	116,1
d_5 $\begin{matrix} +0,2 \\ 0 \end{matrix}$	23,8	29,6	37,5	47,2	58,8	73,4	93	118
d_6	Hole diameter to be chosen by the manufacturer							
l_1^b $\begin{matrix} +0,2 \\ 0 \end{matrix}$	16,5	20,5	25,5	33	41	51	64	81
l_2	3,2	4	5	6,3	8	10	12,5	16
l_3 $\begin{matrix} +0,2 \\ 0 \end{matrix}$	11,4	14,4	17,9	22,4	28,4	35,4	44,4	57,4
l_4 $\begin{matrix} +0,2 \\ 0 \end{matrix}$	13,4	16,9	20,9	26,4	32,4	40,4	51,4	64,4
l_5	0,8	0,8	1	1	1,5	1,5	2	2
l_6 $\begin{matrix} +0,1 \\ 0 \end{matrix}$	1	1	1,5	1,5	2	2	2,5	2,5
l_7 ± 0,1	2	2	2	2,5	3	3	4	4
l_8 ± 0,1	5	6	7,5	9	12	15	—	—
r_1^c $\begin{matrix} 0 \\ -0,05 \end{matrix}$	1,5	2	2,5	3	4	5	6	8
t	0,001 5	0,001 5	0,002	0,002	0,002 5	0,003	0,003 5	0,003 5

^a Depending on the clamping system.

^b See note ^a to Figure 1.

^c r_1 tangent to b_1 or b_2 and d_4 .

4 Design — Hole for manual clamping

Design without hole for manual clamping is standard.

Design with hole for manual clamping is optional.

SS-ISO 12164-4:2008 (E)

5 Designation

A receiver for hollow taper shank (HSK) in accordance with this part of ISO 12164 shall be designated by the following:

- a) "Receiver for hollow taper shank";
- b) reference to this part of ISO 12164, i.e. ISO 12164-4;
- c) "HSK";
- d) type: T for stationary tools;
- e) nominal size, in millimetres.

EXAMPLE A receiver for hollow taper shank with flange contact surface (HSK) for stationary tools (type T) with nominal size 50 mm is designated as follows:

Receiver for hollow taper shank ISO 12164-4-HSK-T 50