

SVENSK STANDARD

SS-EN 16966:2018

Fastställt/Approved: 2018-11-20
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 13.040.30;13.100

Arbetsplatsluft – Måttenheter för användning vid mätning av exponering för inandade nanopartiklar (nano-objekt och nanostrukturerade material), så som masskoncentration, antalskoncentration och areakoncentration

Workplace exposure – Measurement of exposure by inhalation of nano-objects and their aggregates and agglomerates – Metrics to be used such as number concentration, surface area concentration and mass concentration

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-80007878>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 16966:2018 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 16966:2018.

The European Standard EN 16966:2018 has the status of a Swedish Standard. This document contains the official version of EN 16966:2018.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Arbetsplatsluft, SIS/TK 423/AG 03.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 16966

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2018

ICS 13.040.30

English Version

Workplace exposure - Measurement of exposure by inhalation of nano-objects and their aggregates and agglomerates - Metrics to be used such as number concentration, surface area concentration and mass concentration

Exposition sur les lieux de travail - Mesurage de l'exposition par inhalation de nano-objets et de leurs agrégats et agglomérats - Métriques à utiliser telles que concentration en nombre, concentration en surface et concentration en masse

Exposition am Arbeitsplatz - Messung der inhalativen Exposition gegenüber Nanoobjekten und deren Aggregaten und Agglomeraten - Zu verwendende Metriken wie Anzahlkonzentration, Oberflächenkonzentration und Massenkonzentration

This European Standard was approved by CEN on 27 August 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

SS-EN 16966:2018 (E)

Contents	Page
European foreword.....	5
Introduction	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions	7
4 Symbols and abbreviations	12
5 Relevance of ISO definition for assessing health impacts of airborne NOAA	13
6 Particle metrics and their selection	13
6.1 Workplace aerosols consisting of NOAA.....	13
6.2 NOAA metrics.....	14
6.3 NOAA number metric, NOAA surface area metric and NOAA mass metric.....	14
6.4 Occupational exposure limits for NOAA	15
7 Exposure assessment strategy based on EN 17058	15
7.1 General.....	15
7.2 Basic assessment according to EN 17058.....	16
7.3 Comprehensive assessment according to EN 17058	16
7.4 Personal samplers versus static samplers/monitors	17
8 Determination of exposure	17
8.1 General.....	17
8.2 Introductory remarks regarding the measurement of particle metrics.....	18
8.2.1 General.....	18
8.2.2 Continuous measurement and display (using a monitor) or post-sampling analytical determination of a NOAA metric	19
8.2.3 Calculation/estimation of a NOAA metric based on the size-resolved NOAA distribution	20
8.2.4 Calculation of NOAA mass ensemble metric based on the size-resolved NOAA mass metric	20
8.3 Information of the measurement of particle metrics	20
Annex A (informative) Source domains of workplace exposure scenarios for engineered/ manufactured NOAA.....	21
Annex B (informative) Evolution of available instrumental technology since the publication of ISO/TR 27628 and ISO/TR 12885	22
Annex C (informative) Direct-reading instruments for measuring the NOAA ensemble number metric	23
C.1 General.....	23
C.2 Condensation particle counter.....	23
C.2.1 Principle of operation.....	23
C.2.2 Assumptions, limits and potential problems	23
C.2.3 Accuracy and comparability according to EN 16897	24

C.2.4	International standards on the use of CPC	24
C.3	Diffusion chargers	24
C.3.1	General	24
C.3.2	Assumptions, limits and potential problems.....	24
C.3.3	Accuracy and comparability	25
Annex D (informative)	Monitors for measuring the NOAA ensemble surface area metric.....	26
D.1	General	26
D.2	Assumptions, limits and potential problems.....	26
D.3	Accuracy and comparability	28
Annex E (informative)	Samplers for determining the NOAA mass (chemical element) metric by off-line analysis	29
E.1	General	29
E.2	Ensemble of all sampled particles analysed	29
E.2.1	General	29
E.2.2	Assumptions, potential problems and comparability.....	30
E.3	Individual particles analysed.....	30
E.3.1	General	30
E.3.2	Assumptions, potential problems and comparability.....	30
Annex F (informative)	Monitors for measuring the size-resolved NOAA number metric (number-weighted electric mobility equivalent diameter distribution).....	31
F.1	General	31
F.2	DMAS of various designs	31
F.2.1	General	31
F.2.2	Assumptions, potential problems and comparability.....	31
F.2.3	International Standards on the use of DMAS.....	32
Annex G (informative)	Samplers for determining the size-resolved NOAA mass metric (mass-weighted diffusive equivalent diameter distribution) by off-line analysis	33
G.1	General	33
G.2	Diffusion spectrometers.....	33
G.2.1	General	33
G.2.2	Assumptions and potential problems	33
Annex H (informative)	Samplers for determining the size-resolved NOAA mass (chemical element/ compound) metric (mass-weighted aerodynamic equivalent diameter distribution) by off-line analysis.....	34
H.1	General	34
H.2	Cascade impactors.....	34
H.2.1	General	34
H.2.2	Assumptions and potential problems	34

SS-EN 16966:2018 (E)

Annex I (informative) Monitors for determining the size-resolved NOAA number metric (number-weighted aerodynamic equivalent diameter distribution).....	35
I.1 General.....	35
I.2 Assumptions and potential problems.....	35
Annex J (informative) Number-weighted minimum Feret diameter distribution of primary particles of aggregates and constituent parts of aggregates	36
J.1 Distinction between a NOAA and a non-NOAA particle	36
J.2 Aggregates and agglomerates.....	36
J.3 Sample analysis in an electron microscope.....	36
J.3.1 General.....	36
J.3.2 Assumptions and potential problems.....	37
Bibliography.....	38

European foreword

This document (EN 16966:2018) has been prepared by Technical Committee CEN/TC 137 "Assessment of workplace exposure to chemical and biological agents", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2019, and conflicting national standards shall be withdrawn at the latest by May 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

SS-EN 16966:2018 (E)

Introduction

Historically, workers' occupational exposure to airborne non-radioactive particles has been expressed as mass concentrations. The main exception has been fibres of various compositions that have been given as a number concentration for fibres within specified diameter and length limits. Other exceptions are units of glycine per cubic metre for enzymes and number of colony-forming units for airborne microbiological organisms.

Engineered/manufactured nanomaterials are now being used on a wide scale. Only for a few nanomaterials is there currently large enough knowledge of which parameters of the exposure are critical for specific health end-points. Scientific documents for the elaboration of OELs for airborne nano-objects and their aggregates and agglomerates (NOAA) greater than 100 nm are limited, and nano-object specific legally binding Occupational Exposure Limits (OELs) have not been established. However, for some NOAA recommended OELs have been published. Currently, there is no overall agreement on the metric of occupational exposure to airborne NOAA. Nevertheless, all existing legally binding OELs are respected, as substances in their non-nanoscale or microscale form may have recognised OELs. Concentrations of airborne particles can be expressed as a number, surface area or mass concentrations. For spherical particles these are mathematically related to the integral over all particle sizes of the number of particles (per size) times the corresponding particle size raised to zero, two and three, respectively. The different expressions of particle concentrations are generally referred to as different metrics.

Instruments used for the determination of concentrations of airborne particles are generally based on a specific measurement principle that measures the particles in only one of the metrics. Particle concentrations given by these metrics are related to each other via the particle size distribution. In general it is difficult, not to say impossible, to recalculate a concentration given in one metric into another if the complete size distribution is not known and the particles are not spherical or of varying/unknown effective density. It is therefore important that the user of measurement data on occupational exposure to NOAA understands the concepts of particle metrics.

For comprehensive exposure assessments of NOAA, it is recommended that the occupational exposure is determined in parallel for more than one metric, as it is presently unknown which metric later will be considered as most relevant for the critical health effect.

1 Scope

This European Standard specifies the use of different metrics for the measurement of exposure by inhalation of NOAA during a basic assessment and a comprehensive assessment, respectively, as described in EN 17058 [1].

This document demonstrates the implications of choice of particle metric to express the exposure by inhalation to airborne NOAA, e.g. released from nanomaterials¹ and present the principles of operation, advantages and disadvantages of various techniques that measure the different aerosol metrics.

Potential problems and limitations are described and need to be addressed when occupational exposure limit values might be adopted in the future and compliance measurements will be carried out.

Specific information is mainly given for the following metrics/measurement techniques:

- Number/Condensation Particle Counters by optical detection;
- Number size distribution/differential mobility analysing systems by electrical mobility;
- Surface area/electrical charge on available particle surface;
- Mass/chemical analyses (e.g. Inductively Coupled Plasma atomic Mass Spectrometry (ICP-MS), X-Ray Fluorescence (XRF)) on size-selective samples (e.g. by impaction or diffusion).

This document is intended for those responsible for selecting measurement methods for occupational exposure to airborne NOAA.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1540, *Workplace exposure — Terminology*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1540 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

agglomerate

collection of weakly bound particles or aggregates or mixtures of the two where the resulting external surface area is similar to the sum of the surface areas of the individual components

Note 1 to entry: The forces holding an agglomerate together are weak forces, for example van der Waals forces, or simple physical entanglement.

¹ Currently, the EU has a recommendation for a definition of nanomaterial [SOURCE: *Official Journal of the European Union* L275/38, 20 October 2011]. In this document the ISO definition on nanomaterial is used.