

# SVENSK STANDARD

## SS-EN 15254-4:2018



Fastställt/Approved: 2018-12-11  
Utgåva/Edition: 2  
Språk/Language: engelska/English  
ICS: 13.220.50;91.060.10

---

### **Utökad tillämpning av resultat från provning av brandmotstånd – Icke bärande väggar – Del 4: Glasade konstruktioner**

### **Extended application of results from fire resistance tests – Non-loadbearing walls – Part 4: Glazed constructions**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-80008255>

# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.


## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN 15254-4:2018 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 15254-4:2018.

Denna standard ersätter SS-EN 15254-4:2008+A1:2011, utgåva 1.

The European Standard EN 15254-4:2018 has the status of a Swedish Standard. This document contains the official version of EN 15254-4:2018.

This standard supersedes the SS-EN 15254-4:2008+A1:2011, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Brandsäkerhet, SIS/TK 181.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](https://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN 15254-4**

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2018

ICS 13.220.50; 91.060.10

Supersedes EN 15254-4:2008+A1:2011

English Version

## Extended application of results from fire resistance tests - Non-loadbearing walls - Part 4: Glazed constructions

Extension du champ d'application des résultats des  
essais de résistance au feu - Éléments non-porteurs -  
Partie 4 : Constructions vitrées

Erweiterter Anwendungsbereich der Ergebnisse von  
Feuerwiderstandsprüfungen - Nichttragende Wände -  
Teil 4: Verglaste Konstruktionen

This European Standard was approved by CEN on 28 September 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**SS-EN 15254-4:2018 (E)**

<b>Contents</b>	<b>Page</b>
<b>European foreword</b> .....	<b>3</b>
<b>1 Scope</b> .....	<b>4</b>
<b>2 Normative references</b> .....	<b>4</b>
<b>3 Terms and definitions</b> .....	<b>5</b>
<b>4 Principles</b> .....	<b>6</b>
<b>4.1 General principles</b> .....	<b>6</b>
<b>4.2 Use of test evidence</b> .....	<b>8</b>
<b>4.3 Combination of extended application</b> .....	<b>9</b>
<b>5 Specific changes to the glazing system</b> .....	<b>10</b>
<b>5.1 Exchange of the fire resistant glass</b> .....	<b>10</b>
<b>5.2 Glass shapes</b> .....	<b>14</b>
<b>5.3 Increase of glass dimensions</b> .....	<b>14</b>
<b>5.4 Exchange of timber glazing beads</b> .....	<b>14</b>
<b>5.5 Exchange of metal glazing beads</b> .....	<b>15</b>
<b>5.6 Exchange of glazing system materials</b> .....	<b>16</b>
<b>5.7 Bead surface coverings</b> .....	<b>16</b>
<b>6 Specific changes to the framing system</b> .....	<b>17</b>
<b>6.1 Exchange of frames</b> .....	<b>17</b>
<b>6.2 Frame surface coverings</b> .....	<b>18</b>
<b>7 Changes to the fire resistant glazed element</b> .....	<b>19</b>
<b>7.1 Increase in dimensions and replication for fire resistant glazed elements with classification EW</b> .....	<b>19</b>
<b>7.2 Decrease in dimensions for fire resistant glazed elements with classification EW</b> .....	<b>20</b>
<b>Annex A (informative) Examples for using this standard with regard to requested extended applications based on the reference test and pre-existing test data</b> .....	<b>21</b>
<b>A.1 Examples for fire resistant glass with E Classification based on Table A.1</b> .....	<b>21</b>
<b>A.2 Examples for fire resistant glass with EW Classification, based on Table A.2</b> .....	<b>23</b>
<b>A.3 Examples for fire resistant glass with EI Classification based on Table A.3</b> .....	<b>25</b>
<b>Annex B (normative) Radiation calculations</b> .....	<b>27</b>
<b>B.1 Radiation calculations</b> .....	<b>27</b>
<b>Bibliography</b> .....	<b>30</b>

## **European foreword**

This document (EN 15254-4:2018) has been prepared by Technical Committee CEN/TC 127 “Fire safety in buildings”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15254-4:2008+A1:2011.

Relevant changes compared to the previous edition EN 15254-4:2008+A1:2011 include:

- a) Replacement of the term “glass product group” by “glass product range”;
- b) Deletion of aspects now covered in the direct field of application (DIAP) of standard EN 1364-1:2015;
- c) Modification of exchange rules for fire resistant glass;
- d) Additional rule for decrease in dimensions for fire resistant glazed elements with classification EW;
- e) Editorial review of the standard.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## SS-EN 15254-4:2018 (E)

### 1 Scope

This document provides guidance and, where appropriate, defines procedures for variations of certain parameters and factors associated with the design of fire resistant glazed elements which have been tested in accordance with EN 1364-1:2015, and classified according to EN 13501-2.

Extended application of fire resistant glazed elements is based on test evidence.

This standard only applies to vertically installed fire resistant glazed elements.

This standard does not apply to door sets and openable windows according to EN 1634-1 and does not apply to curtain walling – full configuration or curtain walling – part configuration according to EN 1364-3 and EN 1364-4.

Glass block assemblies and paver units and channel-shaped glass as defined in EN 1051-1 and EN 572-7 are excluded. There is currently insufficient information available to enable rules for extended application to be developed for these products.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1279-1, *Glass in building - Insulating glass units - Part 1: Generalities, system description, rules for substitution, tolerances and visual quality*

EN 1363-1, *Fire resistance tests - Part 1: General Requirements*

EN 1363-2, *Fire resistance tests - Part 2: Alternative and additional procedures*

EN 1364-1:2015, *Fire resistance tests for non-loadbearing elements - Part 1: Walls*

EN 1995-1-2, *Eurocode 5: Design of timber structures - Part 1-2: General - Structural fire design*

EN 13501-1, *Fire classification of construction products and building elements - Part 1: Classification using data from reaction to fire tests*

EN 13501-2, *Fire classification of construction products and building elements - Part 2: Classification using data from fire resistance tests, excluding ventilation services*

EN 15269-2, *Extended application of test results for fire resistance and/or smoke control for door, shutter and openable window assemblies, including their elements of building hardware - Part 2: Fire resistance of hinged and pivoted steel doorsets*

EN 15269-3, *Extended application of test results for fire resistance and/or smoke control for door, shutter and openable window assemblies, including their elements of building hardware - Part 3: Fire resistance of hinged and pivoted timber doorsets and openable timber framed windows*

EN 15269-5, *Extended application of test results for fire resistance and/or smoke control for door, shutter and openable window assemblies, including their elements of building hardware - Part 5: Fire resistance of hinged and pivoted, metal framed, glazed doorsets and openable windows*

EN 15725, *Extended application reports on the fire performance of construction products and building elements*



EN ISO 12543-1, *Glass in building - Laminated glass and laminated safety glass - Part 1: Definitions and description of component parts (ISO 12543-1)*

EN ISO 13943, *Fire safety - Vocabulary (ISO 13943)*

### 3 Terms and definitions

For the purposes of this document the terms and definitions given in EN 13501-2, EN ISO 13943, EN ISO 12543-1, EN 1279-1 and EN 1364-1:2015, together with the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

#### 3.1

##### **charring rate**

rate at which a test specimen responds to heat evidenced by the formation of a carbonaceous residue

[SOURCE: ISO 17493:2016, 3.1, modified]

Note 1 to entry    Calculated as described in EN 1995-1-2.

#### 3.2

##### **resistance to fire classification**

resistance to fire classification of the glazed element with respect to integrity E, radiation W and insulation I in accordance with EN 13501-2

#### 3.3

##### **fire resistant glass**

glass product, (i.e. monolithic glass, laminated glass, insulating glass units), that when used in a glazed assembly, can have its performance determined and classified in accordance with EN 13501-2

Note 1 to entry    The term “insulating” when used as an insulating glass unit according to EN 1279-1, should not be confused with the term “insulation” used in EN 13501-2 classification standard for fire resistant glazed element.

#### 3.4

##### **glass product range**

group of fire resistant glass (see 3.3) products, including products from one or more glass product families, e.g. monolithic glass, laminated glass, insulating glass units, defined and produced by one manufacturer for which the characteristic resistance to fire from any one product within the range is valid for all other products within this range

Note 1 to entry:    The glass product families are defined in the relevant product standards.

#### 3.5

##### **glazing system material**

all materials used to glaze the fire resistant glass into its frame, e.g. glazing strips, beads and bead fixings, setting blocks, gaskets and sealant

Note 1 to entry:    See example in Figure 1.

## SS-EN 15254-4:2018 (E)

### 3.6

#### **pre-existing test data**

test data generated by fire resistance tests that have been undertaken in accordance with former versions of European test standards

### 3.7

#### **reference test**

fire resistance test in accordance with EN 1364-1:2015 and EN 1363-1, and where applicable EN 1363-2 which the extended application is based and the results, which are used as the main source of data for the extended application

### 3.8

#### **framing system**

frame profile and fixing to the supporting construction

Note 1 to entry: See example in Figure 1.

### 3.9

#### **direct field of application of test results**

outcome of a process (involving the application of defined rules) whereby a test result is deemed to be equally valid for variations in one or more of the product properties and/or intended end-use applications

### 3.10

#### **extended field of application of test results**

outcome of a process (involving the application of defined rules that may incorporate calculation procedures) that predicts, for a variation of a product property and/or its intended end-use application(s), a test result on the basis of one or more test results to the same test standard

## 4 Principles

### 4.1 General principles

Extended application is a prediction of the expected fire resistance of fire resistant glazed elements. It may be based on interpolation between or extrapolation from test data. The fundamental consideration shall be that the fire resistant glazed element after extension would achieve the required fire performance if it were to be tested according to EN 1364-1:2015.

The test results are applicable to similar constructions where one or more of the changes in the direct field of application in EN 1364-1:2015 and this standard are made, and it is the manufacturer's responsibility that the construction continues to comply with the appropriate design code for its stiffness and stability.


For test reports based on an edition of EN 1364-1 earlier than 2015, the direct field of application according to EN 1364-1:2015 may be applied.

An increase in the classification time (e.g. from EI 30 min to EI 45 min) and/or changes to the fire performance classification (e.g. from E to EW) achieved in the reference test shall not be permitted by the application of the extended application rules. The only exception is detailed in 7.2.

The overview regarding the relevant changeable parameters for extended application for fire resistant glazed elements is given in Table 1.

Extended application reports shall be prepared according to EN 15725.

Fire resistant glazed elements function as an integral system in which the individual components (glass, glazing system materials and framing system) are combined in such a way that they are effective in meeting the defined fire resistance criteria. However, in this document fire resistant glazed elements are separately characterized as the glazing system and the framing system (see example in Figure 1).



**Key**

- A glazing system
- B framing system
- 1 frame
- 2 metal anchor, screwed or bolted to the supporting construction (4) by a fixing anchor (3)
- 3 screw and fixing anchor
- 4 supporting construction
- 5 bead, screwed or clipped or clamped
- 6 bead fixing
- 7 glazing strip
- 8 glass
- 9 sealing or gasket
- 10 setting block

**Figure 1 — Example of a framing system and glazing system**