

SVENSK STANDARD

SS-EN 16907-3:2018



Fastställt/Approved: 2018-12-12
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 93.020

Schakt och fyllning för anläggningsbyggande – Del 3: Utförande av konstruktioner

Earthworks – Part 3: Construction procedures

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-80008564>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.


Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 16907-3:2018 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 16907-3:2018.

The European Standard EN 16907-3:2018 has the status of a Swedish Standard. This document contains the official version of EN 16907-3:2018.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Schakt och fyllning för anläggningsbyggande, SIS/TK 539.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 16907-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2018

ICS 93.020

English Version

Earthworks - Part 3: Construction procedures

Terrassement - Partie 3 : Procédés de construction

Erdarbeiten - Teil 3: Ausführung von Erdarbeiten

This European Standard was approved by CEN on 14 May 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

SS-EN 16907-3:2018 (E)

Contents	Page
European foreword	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 General considerations	6
4.1 Prerequisites to execution of earthworks	6
4.2 Climatic conditions.....	6
4.3 Environmental factors	6
4.4 Use of secondary manufactured materials and recycled materials	7
5 Excavation	8
5.1 General.....	8
5.2 Material type and excavation techniques	8
5.3 Special considerations when excavating in rock.....	10
5.4 Influence of excavated material end use.....	11
5.5 Protection of cuts during construction.....	11
5.5.1 Stability during construction.....	11
5.5.2 Water control/drainage	12
5.5.3 Erosion.....	12
5.5.4 Protection of subgrade.....	12
5.6 Excavation under water.....	13
5.6.1 General.....	13
5.6.2 Equipment	13
5.6.3 Tolerance requirement	13
5.6.4 Underwater blasting.....	13
5.6.5 Supervision and monitoring.....	14
5.6.6 Environmental protection	14
6 Transportation	14
6.1 General.....	14
6.2 Bulk earthworks.....	15
6.2.1 General.....	15
6.2.2 Transportation on subgrade or capping layer	16
6.2.3 Haul road	16
6.3 Material type and bulk transportation	17
6.3.1 General.....	17
6.3.2 Dust.....	17
6.3.3 Protection of existing structures and buried utilities	18
6.4 Road lorries.....	18
6.5 Alternative transport methods.....	19
6.5.1 General.....	19
6.5.2 Transport on water	19
6.5.3 Transport on train.....	19
6.6 Transportation of materials arising from tunnelling.....	19
7 Filling and compaction	21
7.1 Groups of material.....	21
7.2 Compaction specifications.....	22
7.3 Preparation of fill area.....	22
7.4 Spreading.....	23

7.4.1	General	23
7.4.2	Compaction of embankment edges	25
7.4.3	Layer thickness	27
7.5	Compaction	27
7.5.1	General	27
7.5.2	Compaction equipment types	28
7.5.3	Selection of compaction equipment	28
7.6	Filling under-water	30
7.6.1	General	30
7.6.2	Execution	30
7.6.3	Fill material	32
7.6.4	Embankment slopes	32
7.6.5	Replacement / displacement of soft soil	33
	Annex A (informative) Organization and execution of trial sections	34
	Annex B (informative) Conditions of use for main groups of material	37
	Annex C (informative) Excavation machine types	79
	Annex D (informative) Transportation equipment types	81
	Annex E (informative) Examples of national practices	82
	Bibliography	85

SS-EN 16907-3:2018 (E)

European foreword

This document (EN 16907-3:2018) has been prepared by Technical Committee CEN/TC 396 “Earthworks”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document is one of the European Standards within the framework series of EN 16907 on *Earthworks*, as follows:

- *Part 1: Principles and general rules;*
- *Part 2: Classification of materials;*
- *Part 3: Construction procedures (this document);*
- *Part 4: Soil treatment with lime and/or hydraulic binders;*
- *Part 5: Quality control;*
- *Part 6: Land reclamation earthworks with dredged hydraulic fill;*
- *Part 7: Hydraulic placement of waste.*

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard provides execution procedures for excavating, transporting and placing soils and rocks for the construction of earth-structures and guidance for the work. Additionally, it includes excavation and placement of rock materials underwater.

Dredging of soils and the associated hydraulic placement of fills are covered by EN 16907-6 and EN 16907-7.

Execution of earthworks follows the conclusions of the earthworks design and optimization phase (EN 16907-1), which should anticipate soil and rock specificities and their suitability. In case some events could not be foreseen, additional design is performed during the execution of works.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 16907-1, *Earthworks - Part 1: Principles and general rules*

EN 16907-2, *Earthworks - Part 2: Classification of materials*

EN 16907-6, *Earthworks - Part 6: Land reclamation earthworks with dredged hydraulic fill*

3 Terms and definitions

For the purposes of this document, the terms, definitions and symbols given in EN 16907-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

trafficability

ability of a material surface to support the passage of earthworks

3.2

compaction

process of removing air from a soil normally by mechanical means

3.3

compactive effort

energy applied to achieve compaction

3.4

over compaction

condition that arises during compaction when sufficient air has been expelled from a fill such that further compactive effort results in elevated pore water pressures causing the fill surface to become unstable as the material “mattresses”

Note 1 to entry: Over compaction of granular soils can also result in the crushing of individual particles thereby modifying the particle size distribution.

SS-EN 16907-3:2018 (E)

3.5

density index

density state of a granular soil (natural or compacted) determined by comparing its void ratio (e) with the minimum (e_{\min}) and maximum (e_{\max}) attainable for the particular material

Note 1 to entry: The minimum and maximum void ratios correspond to the densest state ($I_D = 100\%$) and loosest state ($I_D = 0\%$) respectively ($= [e_{\max} - e / e_{\max} - e_{\min}] \times 100\%$).

3.6

fine soil

soil with at least 15 % fines content, depending on national practices

3.7

fine active soil

water-sensitive fine soil which exhibits specific shrinking/swelling properties to be taken into consideration for earthworks

4 General considerations

4.1 Prerequisites to execution of earthworks

Before the beginning of construction, all geotechnical design issues should be solved, including temporary and permanent stability, erosion and settlements. All unresolved issues during design shall be identified to all parties and highlighted before the commencement of construction. In this case, the responsibility for closing out shall be made clear.

Before the commencement of each part of works, the design of each part of the earthworks shall have been completed, including the assessment of the available materials and their suitability (see EN 16907-1 and EN 16907-2).

4.2 Climatic conditions

Before commencing earthworks, the prevailing climatic conditions at the construction site shall be considered. Seasonal climatic variations can impose limiting factors on earthworks.

During periods of rainfall, consideration should be given to suspending earthworks operations in wet sensitive materials. When necessary, the earth surfaces should be sealed to prevent the ingress of water.

In dry climatic conditions, consideration should be given to preventing evaporative losses by covering the exposed earth surfaces with non-sensitive materials.

NOTE Seasonal climatic considerations will vary depending on different regions. For example, a frozen ground surface may provide a temporary working platform that can enhance the excavation of soft soil.

4.3 Environmental factors

All earthworks should comply with the relevant environmental legislation.

Earthworks have the potential to harm the natural and built environment and therefore they should be planned in such a manner so as to minimize the potential for harm.

The environmental factors to be considered during earthworks construction commonly include the following:

Noise – European and national regulations should be considered. It is applying for receptors, e.g. domestic dwellings which are affected by the increase of noise beyond legal limits. Assessments should be made of the noise emissions of the various types of earthwork machinery and background noise level readings taken prior to commencement of the earthwork operations.

Consideration should be given to restricted working hours and to the construction of temporary noise barriers utilizing earth bunds or fencing.

Contamination – if there are areas of contamination within an excavation, the activities should be controlled so as to prevent further contamination of the surrounding soil. Contaminated materials should be handled separately and if they are to be stockpiled, the surface upon which they are to be placed should be sealed and shaped to prevent the potential run-off of contaminated water. The potential effect on workers should also be considered and appropriate protective equipment provided.

Appropriate equipment should be selected, to deal with the contaminated material.

Dust – Earthwork operations have the potential to cause dust, particularly in fine graded soils in dry weather conditions.

Dust should be controlled by spraying water onto the exposed surfaces. The potential for dust generation is limited if the exposed surfaces are covered with topsoil and seeded as works progress.

Water courses protection – The most likely cause of pollution from earthworks is the siltation of surface water by uncontrolled silt laden run-off. Consideration shall therefore be given when planning the earthwork operation to the proposed dewatering system. Control measures can include the establishment of settlement ponds and the use of silt fences.

Vibration shall be considered especially sensitivity of existing structures, or building or utilities to vibrations and sound shock waves.

Normal earthwork operations are unlikely to cause harmful vibration levels, however blasting operations can cause considerable vibration and therefore have the potential to damage either the works or adjoining properties. In cases where vibration caused by blasting is likely to cause damage, blasting should be prohibited and replaced by ripping and/or hydraulic breaking.

4.4 Use of secondary manufactured materials and recycled materials

For reasons of economy and environmental sustainability, the Earthworks Practitioner should consider the use of recycled materials and industrial by-products. These will typically include demolition arisings (crushed concrete, etc.) and industrial by-products such as pulverized fuel ash, burnt colliery shale, biomass ashes, slag, foundry sand and cement kiln dust, as well as quarrying processing by-products.

The use of by-products and recycled materials presents special considerations for the Earthworks Practitioner. These considerations fall into two principle categories: legislative and geotechnical.

Legislative considerations concern the environmental and waste licensing legislation that governs the use of such recycled materials and by-products. In order to prevent environmental harm, strict national legislative controls are normally applied to the use of such products. It should be noted that such materials are often considered as a “waste” and legislation governing such materials is often complex. The use of such materials should be carefully evaluated because of their potential to cause environmental harm during both the construction phase and the operation phase of the earthwork. Such harm is often associated with the creation of airborne pollution by dust and ground/surface water pollution by leachate.

Geotechnical concerns relate to the unique characteristics of the recycled material and secondary manufactured products. These materials will often behave in a different manner to natural materials and due consideration shall be taken of this in their specification and use. Particular consideration should be given to the long-term durability of the materials in both the physical and chemical context as, particularly in the case of industrial secondary manufactured products, they may be susceptible to gradual chemical deterioration which can lead to failure of the earthwork. Testing regimes should be established to identify the nature of the material and to validate its consistency during use.