

# SVENSK STANDARD

## SS-ISO 5893:2019



Fastställt/Approved: 2019-08-02  
Utgåva/Edition: 3  
Språk/Language: engelska/English  
ICS: 83.200

---

**Utrustning för provning av gummi och plast  
– Dragning, töjning och sammantryckning  
(konstant hastighet hos den rörliga klämman) – Specifikation  
(ISO 5893:2019, IDT)**

**Rubber and plastics test equipment – Tensile, flexural and  
compression types (constant rate of traverse) – Specification  
(ISO 5893:2019, IDT)**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-80013984>

# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.


## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Den internationella standarden ISO 5893:2019 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 5893:2019.

Denna standard ersätter SS-ISO 5893, utgåva 2

The International Standard ISO 5893:2019 has the status of a Swedish Standard. This document contains the official English version of ISO 5893:2019.

This standard supersedes the SS-ISO 5893, edition 2

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS som även lämnar allmänna upplysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Gummi och gummiprodukter, SIS/TK 154.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](https://www.sis.se) - där hittar du mer information.

# Contents

Page

<b>Foreword</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Designation of machine class</b> .....	<b>2</b>
<b>5 Design features</b> .....	<b>2</b>
5.1 Size and construction.....	2
5.2 Axial alignment of the machine .....	2
5.3 Test piece grips .....	2
5.4 Drive characteristics.....	3
5.5 Jigs for use in compression, shear and flexure testing .....	3
<b>6 Types of force-measuring system</b> .....	<b>3</b>
<b>7 Steady-state machine accuracy</b> .....	<b>3</b>
<b>8 Dynamic machine accuracy</b> .....	<b>3</b>
<b>9 Measurement of elongation (deflection)</b> .....	<b>4</b>
<b>10 Rate of displacement of driven grip</b> .....	<b>5</b>
<b>11 Machine stiffness</b> .....	<b>5</b>
<b>12 Stability</b> .....	<b>6</b>
<b>13 Certificate of verification</b> .....	<b>6</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 45, *Rubber and rubber products*, Subcommittee SC 2, *Testing and analyses*.

This fourth edition cancels and replaces the third edition (ISO 5893:2002), of which it constitutes a minor revision. A few editorial changes have been made.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).



# Rubber and plastics test equipment — Tensile, flexural and compression types (constant rate of traverse) — Specification

## 1 Scope

This document specifies requirements for tensile-testing systems operating at constant rate of traverse and suitable for testing rubbers, plastics and adhesives, although any one system might only be applicable to a narrower range of materials. It also covers such systems when used for flexural, shear and compression tests.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7500-1, *Metallic materials — Calibration and verification of static uniaxial testing machines — Part 1: Tension/compression testing machines — Calibration and verification of the force-measuring system*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

### 3.1

#### **tensile-testing system**

machine composed of a nominally fixed member and a movable member, to which may be attached suitable grips or jigs for holding a test piece

Note 1 to entry: The movable member is power-driven and might be equipped with adjustable speed control. The machine has a force-measuring system complete with indicator and/or recorder. In addition, a system might be included for measuring the extension or deflection of the test piece.

### 3.2

#### **applied force**

force which produces the distortion in the test piece, measured along the strain axis of the machine

Note 1 to entry: For the purpose of this definition, “grip” is taken to mean “platen” or other member for application of force to the test piece when the machine is used for tests other than tensile tests. Depending on the arrangement of the grips or jigs, the test piece will be in tension, shear, compression or flexure.

### 3.3

#### **elongation**

increase in the gauge length of a tensile test piece when subjected to a tensile force

### 3.4

#### **deflection**

distortion, in the direction of the applied force, of a test piece in compression, shear or flexure

## 4 Designation of machine class

Machines shall be designated according to their accuracy in measuring the following parameters:

- a) force (class 0,5, 1, 2 or 3 as given in ISO 7500-1);
- b) elongation or deflection (class A, B, C, D or E as given in [Table 1](#)).

For example, a machine of the highest accuracy is designated "Force: class 0,5; Elongation (deflection): class A".

It is not implied that test machines are available commercially in all the theoretically possible classes.

If, for any application, it is not considered necessary to specify the accuracy of measurement of either of these parameters, then no class number or letter is quoted.

**NOTE** Stringent specifications of test machine accuracy are of little value unless testing technique is closely controlled. Correlation of test data from different laboratories depends as much upon testing techniques as on machine specifications. Operator errors, test piece installation technique and test piece variability are major sources of error.

Care shall be taken to avoid exposure of the machine to draughts or to radiant heat.

## 5 Design features

### 5.1 Size and construction

The size and construction shall be such that the machine is capable of testing all materials for which it is intended to be used and has no features which might adversely affect the test results.

The moving grip shall be capable of traversing a distance sufficient to accommodate the maximum elongation of the test piece. In the case of the more highly extensible materials, a traverse distance in excess of 1 m might be necessary.

### 5.2 Axial alignment of the machine

The coupling between the force-measuring system and the test piece grips or jigs shall be accurately aligned with the strain axis. When fitted in place, the test piece shall also be accurately aligned with the strain axis, and the test axis of the test piece shall coincide with the direction of the applied force.

**NOTE** Non-axial alignment of a test piece in the grips and lack of test piece symmetry are particularly important causes of variation in test results.

### 5.3 Test piece grips

For testing dumb-bell, parallel-strip and similar tensile test pieces of flexible materials, the machine shall be provided with a type of grip which closes automatically as the tension increases (e.g. wedge or pneumatic) and which exerts a uniform pressure across the whole width of the test piece. For rigid materials, screw-action grips are also suitable. The test piece shall be held in such a manner that slippage relative to the grips is prevented as far as possible.

For testing ring test pieces, the machine shall be provided with two pulleys, both of which are free to rotate; one at least being automatically rotated by the machine at between 3 r/min and 50 r/min to equalize the strain in the ring during the test. The pulleys shall be 25 mm in diameter for large rings (44,6 mm ID) and 4,5 mm in diameter for small rings (8,0 mm ID).

For testing adhesion in the peel mode, the machine shall be provided either with the grips described in the relevant test method or with grips which exert a uniform pressure across the whole width of the test piece.