

SVENSK STANDARD

SS-EN 747-2:2012+A1:2015



Fastställt/Approved: 2015-06-01
Publicerad/Published: 2015-06-04
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 97.140

Möbler för hemmiljö – Våningssängar och höga sängar – Del 2: Provningsmetoder

Furniture – Bunk beds and high beds – Part 2: Test methods

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-8014414>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 747-2:2012+A1:2015 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 747-2:2012+A1:2015.

Denna standard ersätter SS-EN 747-2:2012, utgåva 3.

The European Standard EN 747-2:2012+A1:2015 has the status of a Swedish Standard. This document contains the official English version of EN 747-2:2012+A1:2015.

This standard supersedes the Swedish Standard SS-EN 747-2:2012, edition 3.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Möbler, SIS/TK 391.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 747-2:2012+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2015

ICS 97.140

Supersedes EN 747-2:2012

English Version

Furniture - Bunk beds and high beds - Part 2: Test methods

Meubles - Lits superposés et lits surélevés - Partie 2:
Méthodes d'essai

Möbel - Etagenbetten und Hochbetten - Teil 2:
Prüfverfahren

This European Standard was approved by CEN on 8 March 2012 and includes Amendment 1 approved by CEN on 16 April 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
Introduction	4
1 Scope	5
2 Normative references	5
3 General test conditions	5
3.1 Preliminary preparation	5
3.2 Application of forces	6
3.3 Tolerances	6
4 Test equipment	6
4.1 General.....	6
4.2 Measuring cones.....	6
4.3 Bed base impactor.....	7
4.3.1 Bed base impactor (see Figure 2)	7
4.3.2 Springs.....	7
4.3.3 Striking surface.....	8
4.4 Loading pads.....	8
4.5 Test mattress.....	8
4.6 Test mass	9
4.7 Stops	9
4.8 Floor surface	9
4.9 Tread impactor	9
4.10 Template for V-shaped openings	10
5 Test procedures	10
5.1 Inspection before testing	10
5.2 Inspection of product	10
5.3 Measurements.....	10
5.3.1 Holes, gaps and openings	10
5.3.2 V and irregular shaped holes, gaps and openings	11
5.4 Strength tests.....	13
5.4.1 Positioning of the bed	13
5.4.2 Static load on safety barriers	13
5.4.3 Upwards and downwards static load on bed base	14
5.4.4 Impact test on bed base.....	14
5.4.5 Durability test on bed base.....	15
5.5 Durability test of frame and fastenings	15
5.6 Ladders or other means of access	16
5.6.1 Vertical static load on treads.....	16
5.6.2 Horizontal static loads on treads	16
5.6.3 Durability of treads	17
5.6.4 Tread impact test	17
5.7 Stability test.....	18
5.8 Fastening of the upper bed to the lower bed	18
6 Test report	18

Foreword

This document (EN 747-2:2012+A1:2015) has been prepared by Technical Committee CEN/TC 207 "Furniture", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2015, and conflicting national standards shall be withdrawn at the latest by November 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1, approved by CEN on 2015-04-16.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

This document supersedes A1 EN 747-2:2012 A1.

A1 *deleted text* A1

EN 747 is divided into the following parts:

- EN 747-1, *Furniture — Bunk beds and high beds — Part 1: Safety, strength and durability requirements*;
- EN 747-2, *Furniture — Bunk beds and high beds — Part 2: Test methods*.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This part of EN 747 describes a number of tests consisting of the application, to various parts of bunk beds and high beds, of loads or forces applied by one adult occupant per bed during normal functional use. It also deals with misuses that can be reasonably expected to occur.

The tests are designed to evaluate properties without regard for materials, design/construction or manufacturing processes.

1 Scope

This European Standard specifies test methods for the safety, strength and durability of bunk beds and high beds for domestic and non-domestic use. The loads and forces in the strength and durability tests apply to beds with an internal length greater than 140 cm and a maximum bed base width of 120 cm.

The tests are designed to be applied to a bed that is fully assembled and ready for use.

The applicable safety requirements are given in EN 747-1.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 747-1:2012+A1:2015 ^{A1}, *Furniture — Bunk beds and high beds — Part 1: Safety, strength and durability requirements*

EN ISO 2439:2008, *Flexible cellular polymeric materials - Determination of hardness (indentation technique) (ISO 2439:2008)*

3 General test conditions

3.1 Preliminary preparation

For furniture that includes hygroscopic materials, at least one week in normal indoor conditions shall have elapsed between manufacturing (or assembly) and testing.

For all other furniture, at least 48 hours in normal indoor conditions shall have elapsed prior to testing.

The sample shall be tested as delivered. If the sample is a knock-down type, it shall be assembled according to the instructions supplied with it. If the instructions allow for different combinations, the most adverse combination shall be used for each test.

Samples intended to be fastened together in pairs or attached to the structure of a building shall be tested as single, free-standing samples unless the instructions specifically require attachment to another sample or the building structure.

The test shall be carried out in indoor ambient conditions at a temperature between 15 °C and 25 °C. If, during a test, the temperature falls outside of the range of 15 °C to 25 °C, the maximum and/or minimum temperature shall be recorded in the test report.

Knock-down fittings shall be tightened before testing and shall not be re-tightened throughout the testing procedures.

The tests shall be carried out on the same sample and following the order of the clauses of EN 747-1. If a test cannot be carried out as specified in this standard, e.g. because a loading pad cannot be used for the application of a force due to the design of the product, the test shall be carried out as closely as possible to the specified procedure.

SS-EN 747-2:2012+A1:2015 (E)

3.2 Application of forces

The test forces in durability and static load tests shall be applied sufficiently slowly to ensure that negligible dynamic load is applied.

The forces in durability tests shall be applied sufficiently slowly to ensure that kinetic heating does not occur.

Unless otherwise specified, static loads shall be maintained for (10 ± 2) s. Unless otherwise specified, durability loads shall be applied for (2 ± 1) s.

3.3 Tolerances

Unless otherwise stated, the following tolerances are applicable to the test equipment:

- all forces shall have an accuracy of $\pm 5\%$ of the nominal force;
- all masses shall have an accuracy of $\pm 1\%$ of the nominal mass;
- all dimensions shall have an accuracy of ± 1 mm of the nominal dimension;
- all angles shall have an accuracy of $\pm 2^\circ$ of the nominal angle.

The tolerance for the positioning of loading pads shall be ± 5 mm.

The forces may be replaced by masses. The relationship of $10\text{ N} = 1\text{ kg}$ shall be used.

NOTE For the purposes of uncertain measurements, test results are not considered to be adversely affected when the above tolerances are met.

4 Test equipment

4.1 General

The test forces may, unless otherwise stated, be applied by any suitable device, as results only depend on correctly applied forces and loads and not on the apparatus.

The equipment shall be capable of following the deformation of the unit/component during testing so that the loads are always applied at specified points and in specified directions.

4.2 Measuring cones

Cones with an angle of $(30 \pm 1)^\circ$ made of plastic or some other hard, smooth material (see Figure 1). There shall be six cones with the diameters 5 mm, 7 mm, 12 mm, 25 mm, 60 mm and 75 mm.

The 5 mm, 7 mm, 25 mm and 75 mm cone diameters shall have tolerances of $(0/-0,1)$ mm.

The 12 mm and 60 mm cone diameters shall have tolerances of $(0/+0,1)$ mm.




Figure 1 — Examples of measuring cones


4.3 Bed base impactor

4.3.1 Bed base impactor (see Figure 2)

Approximately 200 mm in diameter, separated from the striking surface by helical compression springs and free to move relative to it on a line perpendicular to the plane of the central area of the striking surface (see Figure 2). The body and associated parts minus the springs shall have a mass of $(17 \pm 0,1)$ kg and the whole apparatus, including mass, springs and striking surface, shall have a mass of $(25 \pm 0,1)$ kg.

4.3.2 Springs

Springs shall be such that the combined spring system has a nominal spring rate of (7 ± 2) N/mm and the total friction resistance of the moving parts is less than 1 N. The spring system shall be compressed to an initial load of $(1\ 040 \pm 5)$ N (measured statically), and the amount of spring compression movement available from the initial compression point to the point where the springs become fully closed shall not be less than 60 mm.



Key

- 1 Connecting part of the lifting device which shall not restrain the free fall
- 2 Striking surface

Figure 2 — Bed base impactor