

SVENSK STANDARD

SS-EN 862:2016



Fastställt/Approved: 2016-08-10
Publicerad/Published: 2016-08-11
Utgåva/Edition: 4
Språk/Language: engelska/English
ICS: 55.020; 97.190

Förpackningar – Barnskyddande förpackningar – Krav och provningsmetoder för icke återförslutningsbara förpackningar för andra produkter än läkemedel

Packaging – Child-resistant packaging – Requirements and testing procedures for non-reclosable packages for non-pharmaceutical products

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-8021757>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 862:2016 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 862:2016.

Denna standard ersätter SS-EN 862:2005, utgåva 3.

The European Standard EN 862:2016 has the status of a Swedish Standard. This document contains the official English version of EN 862:2016.

This standard supersedes the Swedish Standard SS-EN 862:2005, edition 3.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Barnskyddade förpackningar, SIS/TK 164/AG 27.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 862

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2016

ICS 55.020; 97.190

Supersedes EN 862:2005

English Version

Packaging - Child-resistant packaging - Requirements and testing procedures for non-reclosable packages for non-pharmaceutical products

Emballages - Emballage à l'épreuve des enfants - Exigences et méthodes d'essai pour emballages non refermables pour les produits non pharmaceutiques

Verpackung - Kindergesicherte Verpackung - Anforderungen und Prüfverfahren für nichtwiederverschließbare Verpackungen für nichtpharmazeutische Produkte

This European Standard was approved by CEN on 27 May 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
European foreword		3
Introduction		4
1	Scope	4
2	Terms and definitions	5
3	Requirements	5
4	Testing	6
5	Test report	10
Annex A (informative) Guidance for persons supervising tests with children		13
Annex B (normative) Test charts		14
Annex C (informative) Suitability of the sequential procedures chosen		17
Bibliography		18

European foreword

This document (EN 862:2016) has been prepared by Technical Committee CEN/TC 261 “Packaging”, the secretariat of which is held by AFNOR.

The document has been revised from edition EN 862:2005 to correct Clause 4.4.1.3.1.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2017, and conflicting national standards shall be withdrawn at the latest by January 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 862:2005.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Child-resistant packaging is used to create a physical barrier between a child and a potentially hazardous product. Various types of packaging are recognized as being child-resistant, based on performance testing against standards for specific product categories and packaging types.

Since this type of packaging was introduced, the incidence of accidental ingestion of potentially hazardous products by children under 5 years old has fallen. The degree to which this is due to the use of child-resistant packaging as opposed to other factors, such as greater public awareness of the hazards, is not easily assessed, but there is little doubt that this packaging has made a positive contribution to the reduction.

The use of child-resistant packaging needs to be confined to those products that are potentially hazardous, or for which any legislation makes its use mandatory, since, if used in other circumstances, there could be confusion over the degree of hazard posed by the product.

In any case, proper labelling and information by the manufacturer is important for the safe use of the product in the home.

Child-resistant packaging acts as the last line of defence if other barriers separating the child and hazardous product have failed. However, it has to be recognized that it is unrealistic to expect that any functional packaging can be totally impossible for a child of 42 to 51 months inclusive to open and that child-resistant packaging cannot be a substitute for other safety precautions.

There has been an increasing use of child-resistant packaging, therefore it is desirable to achieve agreement on testing procedures in order to avoid confusion and misunderstanding in an area of great importance to the safety of young children.

This European Standard aims to reduce the number of children “exposed to training” during panel testing. Since the introduction of performance testing, much has been learned about the use of children for testing child-resistant packaging and attention has been focused on how the number of children involved may be reduced. Future development of standards based on mechanical test methods is required to avoid unnecessary child panel testing and is essential in developing physical package attributes useable by manufacturers.

Child-resistant packaging is only the last in a series of protective measures, and does not release parents or guardians from their duty to keep potentially dangerous products out of the reach of children.

The on-going development of non-reclosable packaging offers a significant area for innovation in packaging. The styles of non-reclosable packages can be wide-ranging in design.

Mechanical test methods may be used to generate test data for comparison and demonstration that the notified packaging is as safe as the original reference one. Mechanical tests are test methods generating data by destructive or non destructive tests of a specific reference package having shown child-resistant properties. Consequently, the development of mechanical test methods by manufacturers allied to current EN or national standards should be pursued as a means of reducing the reliance on child panel testing.

1 Scope

This European Standard specifies performance requirements and methods of test for non-reclosable packaging that has been designated child-resistant and which is intended to contain non-pharmaceutical products. This European standard is intended for type approval only (2.5) and is not intended for quality assurance purposes.

This European Standard applies to non-reclosable packages of the single-use type consisting of one or more individual units.

Non-reclosable packages for pharmaceutical products are excluded from the scope of this European standard. These are the subject of a separate standard, EN 14375, *Child-resistant non-reclosable packaging for pharmaceutical products - Requirements and testing*.

2 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1

child-resistant package

package which is difficult for young children to open (or gain access to the contents), but which it is possible for adults to use properly

2.2

non-reclosable child-resistant package

child-resistant package or part of a child-resistant package which, when all or part of the contents have been removed, cannot be properly closed again

2.3

substitute product

inert substitute resembling the product it replaces

EXAMPLE Powder, tablets or liquids (uncoloured water), etc.

2.4

unit

discrete quantity of any product to be removed from its immediate packaging in its entirety

2.5

type approval

procedure to certify as child-resistant a specific type of non-reclosable package, formed from a specified set of materials, which has met the requirements of this European standard

2.6

single use package

package of one or several units which are not only individually protected but also individually packed for single use

3 Requirements

3.1 General requirements

A non-reclosable child-resistant package, when tested in accordance with the requirements of this European Standard, shall be capable of providing a satisfactory degree of resistance to opening by children (3.2.1). Accessibility to its contents by adults can be checked according to the optional adult test (3.2.2).

A non-reclosable child-resistant package, in addition to conforming to the performance requirements specified in this European Standard (3.2), shall be appropriate for the contents, provide mechanical protection and function properly for the life of the content and packaging.

Manufacturers, component manufacturers, fillers and packers of such packages shall initiate and operate procedures to control the quality of packaging materials so that type approved packaging is in accordance with the requirements of this European Standard.

NOTE EN ISO 9001 specifies requirements for quality management systems where organizations need to demonstrate their capability of supplying conforming products to customers.

3.2 Performance requirements

3.2.1 Child test

An individual child test shall be considered a failure in relation to a single use package if within 10 min, or 5 min when no demonstration has been given, the child gains access to one or more units from the packaging provided.

When tested in accordance with 4.3.2 and evaluated in accordance with 4.4.1, the packaging shall be child-resistant.

3.2.2 Adult test

This test is optional unless a tool is supplied to open the container at the point of sale.

When tested in accordance with 4.3.3 and evaluated in accordance with 4.4.2, at least 90 % of the adults shall be able to access at least 1 unit within the 1 min test period, without a demonstration.

To minimize the exposure of children to unnecessary testing, the adult test should be carried out before the child test.

4 Testing

4.1 Principle

Type approval for non-reclosable child-resistant packaging is obtained by a sequential test method for children. A test group of up to 200 children aged 42 to 51 months is divided into pairs. Each child is given a number of non-reclosable packages to be opened by whatever means they wish to use. If a child fails to gain access within 5 min, the method of opening is demonstrated by the supervisor and the child is given a further 5 min to open the package. The results are recorded sequentially, as obtained. The package is deemed child-resistant if the trail of results on the test charts passes into the acceptance zone or if at least 80 % of the children are unable to access one or more units within 10 min and at least 85 % of the children are unable to access one or more units within the first 5 min. The package's accessibility may also be assessed by an optional full panel test for adults using a test group of 100 adults. Each adult is given a non-reclosable package, any associated opening tools and written instructions, and is allowed 5 min to familiarise themselves with the packaging. The number of adults opening the package within a 1 min test period is recorded. The package is deemed to comply with the requirements of this European Standard if at least 90 % of the adults are able to access at least 1 unit in 1 min.

4.2 Samples and sample preparation

Sufficient packages shall be produced by the proposed manufacturing process to enable a representative sample to be selected by the supervisor for testing and to provide a reserve for reference purposes. Dangerous products shall not be used to fill the package to be tested; an appropriate substitute product shall be used. The material and design of the test samples shall conform to the technical specification and they shall be representative of an average batch of original packages.

Packages for the child panel test shall be unprinted.

In every test, a new package shall be provided for each member of the test group.

Each sample package shall be checked for integrity before the test is conducted. The packages shall be presented to the children without the outer retail packaging, giving them access to the individual units.

4.3 Procedure

4.3.1 General

The test procedure is carried out in two stages:

- a) child test (4.3.2);
- b) adult test (4.3.3).

4.3.2 Child test

4.3.2.1 Composition of child test group

The test group shall comprise no more than 200 children aged 42 to 51 months, inclusive, with approximately equal numbers of girls and boys. As far as possible, there shall be an even distribution of ages and sexes within the panel. The children shall be selected at random and shall have no apparent physical or mental disability that might affect manual dexterity. They shall not have taken part in more than one previous test and, in that test, a packaging of a different type and design shall have been used. If a child is used for more than one test, there shall be at least 4 weeks between tests. Parental or guardian consent shall be obtained before the child is used as a part of the test group. Any children having been involved in a reported poisoning accident shall be excluded from the test.

Children should be selected to represent, as closely as is reasonably possible, the different social, ethnic and cultural origins of the population as a whole, and not just of the immediate district in which the test is carried out.

4.3.2.2 Test procedure

Testing shall be carried out in the presence of a test supervisor. The child test shall take place in an environment familiar to the children.

Test personnel should visit the test location beforehand and become known by the children in order to gain their confidence. Only the supervisors should be present, parents being excluded from the test.

The test shall be carried out by a sequential procedure (4.4.1.1 to 4.4.1.3). The number of children tested will therefore depend on the results obtained, however, the age and sex constraints specified in 4.3.2.1 shall be adhered to.

Pairs of children shall be involved in the test, each pair being monitored by one supervisor. Should a child wander off during the test, action by the supervisor shall be limited to leading the child back to its place and requesting that he or she continue the test, without any additional instruction being given concerning the opening of the package; this fact shall be included in the report (Clause 5).

If desired, a number of pairs (up to five) may undertake tests in the same room at the same time, provided that arrangements are such that they cannot distract other pairs. They may adopt any attitude or position that they find convenient and should not be restrained. During the test, children should be removed as far as possible from extraneous distractions. If other means of observation are used, the supervisor may stand at a distance from the children.

Each child shall be given sufficient packages (see 4.2) with the request that they be opened by whatever means the child wishes to use; 10 min shall be allocated for this purpose. No attempt shall be made to prevent a child using its teeth or any other method of opening the package. However, no tools or implements shall be accessible which might be used by the child, other than those supplied by the manufacturer/filler or packer at point of sale.