

# SVENSK STANDARD

## SS-ISO 14230-2:2016



Fastställt/Approved: 2016-08-30  
Publicerad/Published: 2016-09-06  
Utgåva/Edition: 3  
Språk/Language: engelska/English  
ICS: 43.180

---

### **Vägfordon – Diagnostikkommunikation via K-Line (DoK-Line) – Del 2: Länkskikt (ISO 14230-2:2016, IDT)**

### **Road vehicles – Diagnostic communication over K-Line (DoK-Line) – Part 2: Data link layer (ISO 14230-2:2016, IDT)**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-8022173>

# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Den internationella standarden ISO 14230-2:2016 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 14230-2:2016.

Denna standard ersätter SS-ISO 14230-2:2013, utgåva 2.

The International Standard ISO 14230-2:2016 has the status of a Swedish Standard. This document contains the official English version of ISO 14230-2:2016.

This standard supersedes the Swedish Standard SS-ISO 14230-2:2013, edition 2.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Datakommunikation och diagnostik för vägfordon, SIS/TK 240/AG 1.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



# Contents

	Page
<b>Foreword</b> .....	<b>v</b>
<b>Introduction</b> .....	<b>vi</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms, definitions, symbols and abbreviated terms</b> .....	<b>1</b>
3.1 Terms and definitions.....	1
3.2 Symbols and abbreviated terms.....	2
<b>4 Conventions</b> .....	<b>3</b>
<b>5 Document overview</b> .....	<b>4</b>
<b>6 Physical bus topology</b> .....	<b>5</b>
<b>7 Data link layer overview</b> .....	<b>7</b>
7.1 General.....	7
7.2 Format description of data link layer services.....	7
7.3 Services provided by the data link layer to higher layers.....	7
7.4 Specification of DoK-Line data link layer service primitives.....	8
7.4.1 DL_Data.request.....	8
7.4.2 DL_Data.confirm.....	8
7.4.3 DL_Data_FB.indication.....	9
7.4.4 DL_Data.indication.....	9
7.4.5 DoK-Line_Init.request.....	9
7.4.6 DoK-Line_Initialize.confirm.....	9
7.4.7 DoK-Line_ChangeParameter.request.....	10
7.4.8 DoK-Line_ChangeParameter.confirm.....	10
7.5 Service data unit specification.....	10
7.5.1 SA, Source Address.....	10
7.5.2 TA, Target Address.....	10
7.5.3 TAtype, target address type.....	11
7.5.4 <Length>.....	11
7.5.5 <MessageData>.....	11
7.5.6 <Result_DoK-Line>.....	11
7.5.7 <InitializationModelIdentifier>.....	12
7.5.8 <InitializationResultData>.....	12
7.5.9 <Result_Initialization>.....	12
7.5.10 <Parameter_Value>.....	13
7.5.11 <Result_ChangeParameter>.....	13
<b>8 Protocol initialization</b> .....	<b>14</b>
8.1 General.....	14
8.2 Timing parameters for 5-BAUD_INIT.....	14
8.3 Protocol determination.....	14
8.3.1 5-BAUD_INIT according to ISO 9141.....	14
8.3.2 5-BAUD_INIT according to this document.....	16
8.3.3 FAST_INIT according to this document.....	17
8.3.4 FAST_INIT according to ISO 14230-4.....	19
8.3.5 Client protocol determination by server (ECU) key bytes.....	20
8.3.6 Initial data exchange after successful completion of initialization.....	22
8.4 Protocol specific key bytes.....	22
8.4.1 Format of key bytes.....	22
8.4.2 Key bytes for emissions-related OBD protocols of ISO 9141-2.....	23
8.4.3 Key bytes for emissions-related OBD protocol ISO 14230-4.....	23
8.4.4 Key bytes for enhanced diagnostics with support of ISO 14230-4.....	24
8.4.5 Calculation of decimal value of key bytes.....	25

<b>9</b>	<b>Message definition</b> .....	<b>25</b>
9.1	Message structure.....	25
9.2	Message header.....	26
9.2.1	Format byte (FMT).....	26
9.2.2	Target address byte (TA).....	26
9.2.3	Source address byte (SA).....	27
9.2.4	Length byte (LEN).....	27
9.2.5	Message header configurations.....	27
9.3	Protocol data unit (PDU).....	28
9.4	Checksum byte (CS).....	28
<b>10</b>	<b>Protocol timing requirements</b> .....	<b>29</b>
10.1	General timing measurement requirements.....	29
10.2	Protocol timing parameter definition.....	29
10.2.1	Inter-byte and inter-message timing parameters.....	29
10.2.2	Inter-byte timing parameter set.....	29
10.3	Inter-byte message timing.....	30
10.4	Data link layer timing at T-Data interface.....	32
<b>11</b>	<b>Communication services</b> .....	<b>34</b>
11.1	StartCommunication service.....	34
11.1.1	Service definition.....	34
11.1.2	Implementation.....	35
11.2	StopCommunication service.....	36
11.2.1	Service definition.....	36
11.2.2	Implementation.....	36
11.3	AccessTimingParameter service.....	37
11.3.1	Service definition.....	37
11.3.2	Implementation.....	38
11.4	SendData service.....	40
11.4.1	Service definition.....	40
<b>12</b>	<b>Data collisions</b> .....	<b>41</b>
<b>13</b>	<b>Error handling</b> .....	<b>41</b>
13.1	Error handling during physical/functional 5-BAUD initialization.....	41
13.1.1	Client (external test equipment) error handling during physical/ functional 5-BAUD-INIT.....	41
13.1.2	Server (ECU) error handling during physical/functional 5-BAUD_INIT.....	42
13.2	Error handling during physical/functional FAST_INIT.....	42
13.2.1	Client (external test equipment) error handling during physical/ functional FAST_INIT.....	42
13.2.2	Server (ECU) error handling during physical FAST_INIT.....	43
13.2.3	Server (ECU) error handling during functional FAST_INIT (normal timing only).....	43
13.3	Error handling after physical/functional initialization.....	44
13.3.1	Client (external test equipment) communication error handling (after physical/functional initialization).....	44
13.3.2	Server (ECU) communication error handling after physical initialization.....	44
13.3.3	Server (ECU) error handling after functional initialization.....	45
	<b>Annex A (normative) Server and client addresses for 5-BAUD_INIT</b> .....	<b>46</b>
	<b>Annex B (informative) Recommended server and client addresses</b> .....	<b>47</b>
	<b>Annex C (informative) Protocol comparison of initialization sequence</b> .....	<b>48</b>
	<b>Bibliography</b> .....	<b>49</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

The committee responsible for this document is ISO/TC 22, *Road vehicles*, Subcommittee SC 31, *Data communication*.

This third edition cancels and replaces the second edition (ISO 14230-2:2013), which has been technically revised.

A list of parts in the ISO 14230 series can be found on the ISO website.

## Introduction

This document has been established in order to define common requirements for vehicle diagnostic systems implemented on K-Line (UART based) communication link, as specified in ISO 14230-1.

To achieve this, it is based on the Open Systems Interconnection (OSI) Basic Reference Model in accordance with ISO/IEC 7498-1 and ISO/IEC 10731, which structures communication systems into seven layers. When mapped on this model, the services specified by ISO 14230 are broken into the following:

- Diagnostic services (layer 7), specified in ISO 14229-1, ISO 14229-6;
- Presentation layer (layer 6):
  - vehicle manufacturer specific;
  - legislated WWH-OBD: ISO 27145-2, SAE 1930-DA, SAE J1979-DA, SAE J2012-DA, SAE J1939:2011, Appendix C (SPN), SAE J1939-73:2010, Appendix A (FMI);
- Session layer services (layer 5):
  - legislated OBD: specified in ISO 14229-2;
  - legislated WWH-OBD: specified in ISO 14229-2;
- Transport layer services (layer 4), specified in ISO 14230-2;
- Network layer services (layer 3), specified in ISO 14230-2;
- Data link layer (layer 2), specified in ISO 14230-4, ISO 14230-2;
- Physical layer (layer 1), specified in ISO 14230-1;

in accordance with [Table 1](#).

**Table 1 — Enhanced and legislated OBD diagnostic specifications applicable to the OSI layers**

OSI seven layer <sup>a</sup>	Enhanced diagnostics	Legislated OBD (On-Board Diagnostics)		Legislated WWH-OBD (On-Board Diagnostics)	
Application (layer 7)	ISO 14229-1, ISO 14229-6	ISO 15031-5		ISO 14229-1, ISO 27145-3	
Presentation (layer 6)	vehicle manufacturer specific	ISO 15031-2, ISO 15031-5, ISO 15031-6, SAE J1930-DA, SAE J1979-DA, SAE J2012-DA		ISO 27145-2, SAE 1930-DA, SAE J1979-DA, SAE J2012-DA, SAE J1939:2011, Appendix C (SPN), SAE J1939-73:2010, Appendix A (FMI)	
Session (layer 5)	ISO 14229-2				
Transport (layer 4)	ISO 14230-2	ISO 15765-2	ISO 15765-4	ISO 15765-4, ISO 15765-2	
Network (layer 3)				ISO 15765-4, ISO 11898-1	
Data link (layer 2)	ISO 14230-2	ISO 11898-1		ISO 27145-4	
Physical (layer 1)	ISO 14230-1	ISO 11898-1, ISO 11898-2		ISO 11898-1, ISO 11898-2	

<sup>a</sup> Seven layers according to ISO/IEC 7498-1 and ISO/IEC 10731.

The application layer services covered by ISO 14229-6 have been defined in compliance with diagnostic services established in ISO 14229-1 and ISO 15031-5, but are not limited to use only with them.



ISO 14229-6 is also compatible with most diagnostic services defined in national standards or vehicle manufacturer's specifications.



# Road vehicles — Diagnostic communication over K-Line (DoK-Line) —

## Part 2: Data link layer

### 1 Scope

This document specifies data link layer services tailored to meet the requirements of UART-based vehicle communication systems on K-Line as specified in ISO 14230-1. It has been defined in accordance with the diagnostic services established in ISO 14229-1 and ISO 15031-5, but is not limited to use with them and is also compatible with most other communication needs for in-vehicle networks. The protocol specifies an unconfirmed communication.

The diagnostic communication over K-Line (DoK-Line) protocol supports the standardized service primitive interface as specified in ISO 14229-2.

This document provides the data link layer services to support different application layer implementations like the following:

- enhanced vehicle diagnostics (emissions-related system diagnostics beyond legislated functionality, non-emissions-related system diagnostics);
- emissions-related OBD as specified in ISO 15031, SAE J1979-DA and SAE J2012-DA;
- in addition, this document clarifies the differences in initialization for K-line protocols defined in ISO 9141 and ISO 14230. This is important since a server supports only one of the protocols mentioned above and the client has to handle the coexistence of all protocols during the protocol determination procedure.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14230-4, *Road vehicles — Diagnostic systems — Keyword Protocol 2000 — Part 4: Requirements for emission-related systems*

### 3 Terms, definitions, symbols and abbreviated terms

#### 3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>