

SVENSK STANDARD

SS-EN 12868:2017



Fastställt/Approved: 2017-01-23
Publicerad/Published: 2017-01-26
Utgåva/Edition: 2
Språk/Language: engelska/English
ICS: 97.190

Barnartiklar – Metoder för bestämning av avgivning av N-nitrosaminer och liknande substanser från elastomerer eller gumminappar

**Child use and care articles – Method for determining the release
of N-nitrosamines and N-nitrosatable substances from
elastomer or rubber teats and soothers**

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-8024614>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 12868:2017 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 12868:2017.

Denna standard ersätter SS-EN 12868, utgåva 1 och SS-EN 12868/AC:2013, utgåva 1.

The European Standard EN 12868:2017 has the status of a Swedish Standard. This document contains the official English version of EN 12868:2017.

This standard supersedes the Swedish Standard SS-EN 12868, edition 1 and SS-EN 12868/AC:2013, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Barnartiklar, SIS/TK 404.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 12868

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2017

ICS 97.190

Supersedes EN 12868:1999

English Version

Child use and care articles - Method for determining the release of N-nitrosamines and N-nitrosatable substances from elastomer or rubber teats and soothers

Articles de puériculture - Méthode pour déterminer la libération de N-nitrosamines et de substances N-nitrosables par les tétones et les sucettes en élastomère ou en caoutchouc

Artikel für Säuglinge und Kleinkinder - Verfahren zur Bestimmung der Abgabe von N-Nitrosaminen und N-nitrosierbaren Stoffen aus Babysaugern aus Elastomeren und Gummi

This European Standard was approved by CEN on 30 October 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	5
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Principle	8
5 Reagents	8
Table 1 — Salts and their masses for 1 l of artificial saliva salt solution	9
6 Apparatus.....	9
7 Standard Solutions of N-nitrosamines.....	11
7.1 General.....	11
7.2 N-nitrosamines identified in teats	11
Table 2 — Names, abbreviated names and CAS numbers of N-nitrosamines relevant for this standard, and the necessary limits of quantification.....	11
7.3 Calibration solutions (for detector response).....	12
7.4 N-nitrosamine used as internal standard	12
8 Procedure.....	12
8.1 General.....	12
8.2 Sample Preparation.....	13
8.3 Sample A (for determination of N-nitrosatable substances).....	14
8.3.1 Preparation and pre-boiling	14
8.3.2 Preparation of Migrate A (for determining N-nitrosatable substances) See A.2	14
8.3.3 Nitrosation of Migrate A (see A.3) and preparation of Solution A.....	15
8.4 Sample B (for determination of N-nitrosamines).....	15
8.4.1 Preparation and pre-boiling	15
8.4.2 Preparation of Migrate B (for determining N-nitrosamines).....	15
8.4.3 Preparation of Solution B.....	15
8.5 Preparation of extraction columns for Solutions A and B.....	15
8.6 Extraction of N-nitrosamines.....	16
8.6.1 From Solution A	16
8.6.2 From Solution B	16
8.7 Concentration of N-nitrosamines	16
8.7.1 In Extract A	16
8.7.2 In Extract B	17
8.8 Blank Test	17
8.9 Analysis.....	17
8.9.1 Calibration function	17
8.9.2 Determination of sample concentration	18
9 Calculation of results	18
9.1 General.....	18
9.2 Variability of results and calculation of means.....	19
9.2.1 Requirements for variability	19
9.2.2 Test for variability	19
9.2.3 Calculation of means.....	19

9.3	Amount of total N-nitrosatable substances migrating from Sample A, analysed and expressed as N-nitrosamines from Concentrate A	20
9.4	Amount of total N-nitrosamines migrating from Sample B, analysed and expressed as N-nitrosamines from Concentrate B.....	20
10	Confirmation of N-nitrosamines	20
11	Analytical tolerances.....	21
11.1	General	21
11.2	Analytical tolerances (see Annex F).....	21
12	Compliance.....	21
13	Test report	21
Annex A (informative) Rationales		23
A.1	General	23
A.2	Migration Conditions (see 8.3.2).....	23
A.3	Nitrosation conditions (see 8.3.3)	23
A.4	Weight of sample used (see 8.3.1)	23
A.5	Separate migrations (see 8.3.2 and 8.3.3)	24
A.6	Duplicate tests (see 8.1)	24
A.7	TEA and alternative detectors	24
A.8	Deviations (see 9.2, 9.3 and 11)	25
A.9	Main differences between this standard and EN 71-12 [3]	25
Annex B (informative) Suitable gas chromatographic method.....		26
Figure B.1 — GC Chromatogram of a calibration solution recorded by TEA.....		27
Annex C (normative) Example of results calculation and test report.....		28
C.1	General	28
C.2	Example for variability testing and means calculation for analytical results	28
Table C.1 — Example for variability testing and means calculation for Sample A.....		29
Table C.2 — Example for variability testing and means calculation for Sample B.....		29
C.3	Results calculation and results table for test report	30
Table C.3 — Example of Final results and their representation		31
C.4	Other Information for test report.....	31
Annex D (informative) Alternative Methods		32
D.1	General	32
D.2	Liquid Chromatography (LC).....	32
Table D.1 — Gradient profile for the given HPLC conditions.....		33
D.3	MS/MS conditions.....	33
Table D.2 — Suitable MRM Transitions for MS/MS conditions		34
D.4	Confirmation and quantification of detected N-nitrosamines	34
Table D.3 — Maximum permitted tolerances for relative ion intensities.....		34

SS-EN 12868:2017 (E)

Annex E (informative) Justification of an N-nitrosamine specific adjustment for NDiNA	36
Annex F (informative) Summary of the 2015 validation trial.....	38
F.1 Outline.....	38
Table F.1 — Sample Descriptions for Validation Trial.....	38
F.2 Initial statistical analysis - N-nitrosatable substances	38
Table F.2 — Mean data and calculations for total N-nitrosatable substances.....	38
F.3 Reproducibility Limit for N-nitrosatable substances.....	39
Table F.3 — Overall means for total N-nitrosatable substances by method.....	39
Table F.4 — Reproducibility limits for total N-nitrosatable substances by method.....	39
Table F.5 — Reproducibility limits (mg/kg) for individual N-nitrosatable substances	40
F.4 Consideration of the NDiNA Reproducibility limit.....	40
F.5 Initial statistical analysis - N-nitrosamines	40
Table F.6 — Mean data and calculations for total N-nitrosamines.....	40
F.6 Variability between Determinations	41
Table F.7 — Summary of average repeatability limits for duplicate determinations of N-nitrosatable substances and N-nitrosamines	41
F.7 Summary of Conclusions and implications for EN 12868.....	42
Table F.8 — Methods used by laboratories (after removal of outliers)	42
Bibliography.....	44

European foreword

This document (EN 12868:2017) has been prepared by Technical Committee CEN/TC 252 “Child use and care articles”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2017, and conflicting national standards shall be withdrawn at the latest by July 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12868:1999.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

Compared to EN 12868:1999, this document contains the following significant changes:

- The common practice to perform at least double determinations has been made a requirement, including the preparation of samples.
- Sample preparation has been defined and simplified, reducing this source of interlaboratory variation.
- The pre-boiling and migration steps have been separated for the determination of N-nitrosamines and of N-nitrosatable substances, allowing use of the same vessels and avoiding the possible loss of migrated substances. Amounts of sample have been adjusted, increasing the sample mass for the determination of N-nitrosatable substances.
- Extraction of N-nitrosamines from the aqueous migrates has been restricted to one method, reducing interlaboratory variability. A rinsing step has been introduced to avoid variability due to possible loss of analytes.
- The calculation of results has been revised including a repeatability requirement for multiple determinations and taking into account state of the art analytical procedures.
- The confirmation of N-nitrosamines and application of analytical tolerances have been clarified including a N-nitrosamine specific adjustment as suggested by the validation trial.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

It has been shown that feeding teats and soothers made of elastomer or rubber may release N-nitrosamines and substances capable of being converted into N-nitrosamines (N-nitrosatable substances). The Scientific Committee for Food of the European Union has given the opinion that N-nitrosamines and N-nitrosatable substances may endanger human health owing to their toxicity [5]. Hence in 1993, the European Commission issued Directive 93/11/EEC [1] controlling rubber and elastomeric teats and soothers releasing these substances. The Directive also provided basic rules for determining the release of these substances and criteria for the method of analysis to be adopted.

The purpose of this European Standard is to provide a detailed analytical method for the identification and determination of N-nitrosamines and N-nitrosatable substances released from teats and soothers in order that compliance with the requirements of Directive 93/11/EEC may be tested.

This method has been validated.

The testing laboratories should take special care to observe occupational health and safety standards. Persons using this European Standard should be familiar with normal laboratory practice. This European Standard does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

1 Scope

This European Standard specifies the method for determining N-nitrosamines and N-nitrosatable substances released from elastomer or rubber teats in contact with artificial saliva salt solution for testing compliance with Directive 93/11/EEC.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 3696, *Water for analytical laboratory use - Specification and test methods (ISO 3696)*

EN ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories (ISO/IEC 17025)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

teat

flexible elastomeric part designed to be placed in the mouth

3.2

soother

article which includes a teat and which is intended to satisfy the non-nutritive sucking need of children

Note 1 to entry: Soothers are also known as pacifiers or babies' dummies.

3.3

feeding teat

any teat that permits a child to obtain food or drink

3.4

elastomer

material which undergoes substantial, elastic (fully reversible) deformation when put under stress and consisting of three-dimensional networks of cross-linked flexible polymers

Note 1 to entry: The cross-links are chemical bonds generated by curing in rubbers (like natural rubber or synthetic rubber including silicones) or physical, thermo-reversible fixation points in thermoplastic elastomers (TPE) or the combination of both (TPEV).

3.5

rubber

types of elastomer

3.6

N-nitrosamine

substance characterised by the N-nitroso functional group, N-NO, usually formed by the reaction of an amine with a nitrosating agent, e.g. nitrite, at acidic pH