

SVENSK STANDARD

SS-ISO 7241:2017



Fastställt/Approved: 2017-02-07
Publicerad/Published: 2017-02-08
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 23.100.40

Hydrauliska anläggningar – Mått och krav för snabbkopplingar (ISO 7241:2014, IDT)

Hydraulic fluid power – Dimensions and requirements of quick- action couplings (ISO 7241:2014, IDT)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-8024910>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden ISO 7241-1 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 7241-1.

The International Standard ISO 7241-1 has the status of a Swedish Standard. This document contains the official English version of ISO 7241-1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Hydraulik och pneumatik, SIS/TK 106.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Dimensional requirements	2
5 Performance requirements	7
6 Additional requirements for Series A quick-action couplings for use in agricultural machinery applications	8
6.1 General	8
6.2 Connecting and disconnecting	8
6.3 Fluid loss	8
6.4 Valve performance	8
7 Workmanship	9
8 Designation	9
9 Marking	9
10 Identification statement (reference to this International Standard)	9
Bibliography	10

SS-ISO 7241:2017 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 131, *Fluid power systems*, Subcommittee SC 4, *Connectors and similar products and components*.

This first edition of ISO 7241 cancels and replaces ISO 7241-1:1987, which has been technically revised.

Introduction

In hydraulic fluid power systems, power is transmitted and controlled through a liquid under pressure within an enclosed circuit. Quick-action couplings are used to join or separate fluid conductors quickly and without the use of tools or special devices.

When hydraulic quick-action couplings are used on agricultural machinery, the female coupling half is normally assembled on the tractor and the male coupling half is normally assembled on the tractor attachment.

Hydraulic fluid power — Dimensions and requirements of quick-action couplings

1 Scope

This International Standard specifies the interface dimensions and basic performance requirements for two series of hydraulic quick-action couplings. Both series are in widespread use and have similar technological advantages. Series A is used predominantly in Europe and is preferred worldwide for agricultural and forestry machinery, and this International Standard also specifies additional requirements for Series A for use in agricultural machinery applications covered in ISO 5675. Series B is used predominantly in North America and in the chemical industry.

2 Normative references

The following documents, in whole or in part, are referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2944, *Fluid power systems and components — Nominal pressures*

ISO 3448, *Industrial liquid lubricants — ISO viscosity classification*

ISO 5598, *Fluid power systems and components — Vocabulary*

ISO 5675, *Agricultural tractors and machinery — General purpose quick-action hydraulic couplers*

ISO 6508-1, *Metallic materials — Rockwell hardness test — Part 1: Test method (scales A, B, C, D, E, F, G, H, K, N, T)*

ISO 18869¹⁾, *Hydraulic fluid power — Test methods for couplings actuated with or without tools*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5598 and the following apply.

3.1

coupling valve opening force

maximum force required to fully open the hydraulic quick-action coupling valve when the pressure inside the coupling is at zero

3.2

female half

receptacle portion of a quick-action coupling which normally includes the mechanism to lock the two halves of quick-action coupling together

3.3

interface

that portion of a coupling half that establishes and controls interchangeability

3.4

male half

probe portion of a quick-action coupling which fits and locks into the female half


1) This International Standard is under development.

SS-ISO 7241:2017 (E)

4 Dimensional requirements

4.1 Dimensional requirements for Series A hydraulic quick-action couplings are shown in Figure 1 and given in Table 1.

Surface roughness values in micrometres



Key

- a Dimension D_1 is the gauge diameter.
- b The shape of the valve is optional, and dimension D_4 is used unless the valve has a spherical form.
- c Dimension L_4 is measured to the ball.
- d Dimension D_5 is the diameter of the gauge ball.
- e The shape of the groove that receives the bearings in the coupled position is left to the manufacturer.
- f Maximum valve travel against stop.
- g Minimum length of diameter D_3 .
- h Minimum hardness shall be 86HR 15N at ball contact point, in accordance with ISO 6508-1.

Figure 1 — Dimensional requirements for Series A couplings


Table 1 — Dimensional requirements for Series A couplings

Dimensions in millimetres

Size ^a	D_1	D_2	D_3	D_4^b min.	D_5 $\pm 0,002\ 5$	L_1 max.	L_2^c	L_3	L_4	L_5 min.	L_6 max.	L_7 min.	α_1
6,3	18,7	12,9 13	11,73 11,86	1,9	3,968	2,8	0,7 1,5	5,5 5,7	6,6 6,8	14,5	0,5	3,7	44° 46°
10	24,1	18,3 18,4	17,2 17,3	3	3,968	3,8	0,7 1,5	8,8 9	9,8 10	18	0,5	7	
12,5	30,3	23,66 23,74	20,48 20,56	4,5	4,762	4	0,7 1,5	9,2 9,4	11,6 11,8	24	0,5	8	
20	37,1	30,4 30,5	29 29,1	5,4	4,762	7,2	1 2,5	15,9 16,1	17,5 17,7	27,5	0,6	13,7	
25	43,0	36,5 36,6	34,21 34,34	7,8	4,762	8,5	1,5 3	19,7 20	22,8 23	34	0,7	16,3	
31,5	56,0	47,7 47,8	44,9 45	8,9	6	11	2 4,5	24,9 25,1	28,4 28,6	43	0,7	24	
40	68,5	57,5 57,6	54,9 55	9,9	8	13	3 6	30,6 30,8	33,7 33,9	51	0,8	29,6	
50	83,7	69,9 70	65 65,1	9,9	10	16,6	3 7	35 35,2	39,6 39,8	61	0,8	34	

^a The size designation corresponds to the nominal size of the hose recommended for use with the coupling; see ISO 4397.
^b Use dimension D_4 unless the valve has a spherical form; spherical form is not preferred.
^c Radius or chamfer length. Radius with chamfer is optional.

4.2 Additional dimensional requirements for Series A hydraulic quick-action couplings used in agricultural applications are shown in [Figure 2](#) and given in [Table 2](#).



Key

^a Shape of neck between L_8 and L_9 is optional but shall be circular to accommodate dust sealing.

Figure 2 — Additional dimensional requirements for Series A couplings used in agricultural applications