

SVENSK STANDARD

SS-EN ISO 16120-1:2017



Fastställt/Approved: 2017-06-30
Publicerad/Published: 2017-07
Utgåva/Edition: 2
Språk/Language: engelska/English
ICS: 77.140.60; 77.140.70

Olegerad valstråd av stål för tillverkning av tråd – Del 1: Allmänna bestämmelser (ISO 16120-1:2017)

Non-alloy steel wire rod for conversion to wire – Part 1: General requirements (ISO 16120-1:2017)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-8027204>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN ISO 16120-1:2017 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN ISO 16120-1:2017.

Denna standard ersätter SS-EN ISO 16120-1:2011, utgåva 1.

The European Standard EN ISO 16120-1:2017 has the status of a Swedish Standard. This document contains the official version of EN ISO 16120-1:2017.

This standard supersedes the Swedish Standard SS-EN ISO 16120-1:2011, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Tråd och trådprodukter, SIS/TK 138.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN ISO 16120-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2017

ICS 77.140.60

Supersedes EN ISO 16120-1:2011

English Version

Non-alloy steel wire rod for conversion to wire - Part 1: General requirements (ISO 16120-1:2017)

Fil-machine en acier non allié destiné à la fabrication
de fils - Partie 1: Exigences générales (ISO 16120-
1:2017)

Walzdraht aus unlegiertem Stahl zum Ziehen - Teil 1:
Allgemeine Anforderungen (ISO 16120-1:2017)

This European Standard was approved by CEN on 20 April 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

SS-EN ISO 16120-1:2017 (E)

Contents		Page
European foreword		iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Classification	3
5	Ordering information to be supplied by the purchaser	3
6	Production process	4
7	Requirements	4
	7.1 General	4
	7.2 Quality system	4
	7.3 Method of delivery	4
	7.4 Delivery condition	5
8	Dimensions, mass and tolerances	5
9	Inspection	5
	9.1 Inspection and inspection documents	5
	9.2 Extension of inspection	5
	9.3 Acceptance unit, number of samples and test pieces	5
	9.4 Sampling and preparation of samples and test pieces	6
	9.4.1 Chemical composition	6
	9.4.2 Tensile strength	6
	9.4.3 Decarburization, surface discontinuities, non-metallic inclusions, core segregation and microstructure	6
	9.5 Test methods	6
	9.5.1 Chemical composition	6
	9.5.2 Tensile strength	6
	9.5.3 Surface discontinuities	6
	9.5.4 Decarburization	7
	9.5.5 Non-metallic inclusions	7
	9.5.6 Core segregation	7
	9.5.7 Microstructure	7
	9.5.8 Determination of cementite network in high-carbon steel wire rod	7
	9.6 Retest	7
10	Marking	7
11	Disputes	7
Annex A (normative) Determination of core segregation		8
Annex B (informative) Measurement of surface discontinuities		11
Annex C (informative) Mechanical damage		14
Annex D (normative) Determination of percentage of resolvable pearlite in high-carbon steel wire rod		18
Annex E (normative) Determination of cementite network in high-carbon steel wire rod		22
Bibliography		27

European foreword

This document (EN ISO 16120-1:2017) has been prepared by Technical Committee ISO/TC 17 “Steel” in collaboration with Technical Committee ECISS/TC 106 “Wire rod and wires” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2017, and conflicting national standards shall be withdrawn at the latest by December 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 16120-1:2011.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 16120-1:2017 has been approved by CEN as EN ISO 16120-1:2017 without any modification.

Non-alloy steel wire rod for conversion to wire —

Part 1: General requirements

1 Scope

The ISO 16120 series is applicable to wire rod of non-alloy steel intended for wire drawing and/or cold rolling. The cross-section can be circular, oval, square, rectangular, hexagonal, octagonal, half-round or another shape, generally with at least 5 mm nominal dimension, and with a smooth surface.

This document specifies general requirements for non-alloy steel wire rod for conversion to wire. It is not applicable to products for which standards exist or are in development, for example:

- steel wire rod intended for heat treatment;
- free-cutting steel wire rod;
- steel wire rod for cold heading and cold extrusion;
- steel wire rod intended for the production of electrodes and products for welding;
- steel wire rod for welded fabric for reinforcement for concrete;
- steel wire rod for ball and roller bearings (see ISO 683-17);
- steel wire rod for wire for high fatigue strength mechanical springs, such as valve springs.

In addition to the requirements of this document, the general technical delivery requirements specified in ISO 404 apply.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 377, *Steel and steel products — Location and preparation of samples and test pieces for mechanical testing*

ISO 404:2013, *Steel and steel products — General technical delivery requirements*

ISO 3887, *Steels — Determination of depth of decarburization*

ISO 4885, *Ferrous products — Heat treatments — Vocabulary*

ISO 4948-1, *Steels — Classification — Part 1: Classification of steels into unalloyed and alloy steels based on chemical composition*

ISO 4948-2, *Steels — Classification — Part 2: Classification of unalloyed and alloy steels according to main quality classes and main property or application characteristics*

ISO 6892-1, *Metallic materials — Tensile testing — Part 1: Method of test at room temperature*

ISO 6929, *Steel products — Vocabulary*

ISO/TR 9769, *Steel and iron — Review of available methods of analysis*

SS-EN ISO 16120-1:2017 (E)

ISO 10474, *Steel and steel products — Inspection documents*

ISO 14284, *Steel and iron — Sampling and preparation of samples for the determination of chemical composition*

ISO 16120-2:2017, *Non-alloy steel wire rod for conversion to wire — Part 2: Specific requirements for general-purpose wire rod*

ISO 16120-3:2011, *Non-alloy steel wire rod for conversion to wire — Part 3: Specific requirements for rimmed and rimmed substitute, low-carbon steel wire rod*

ISO 16120-4:2017, *Non-alloy steel wire rod for conversion to wire — Part 4: Specific requirements for wire rod for special applications*

ISO 16124, *Steel wire rod — Dimensions and tolerances*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 377, ISO 404, ISO 4885, ISO 4948-1, ISO 4948-2 and ISO 6929 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

rod

hot-rolled finished product hot-wound into irregular coils

Note 1 to entry: Rod used for wire-drawing purposes in coil form is generally termed wire rod.

3.2

heat analysis

chemical analysis representative of the heat, by a method determined at the steelmaker's discretion

[SOURCE: ISO 404:2013, 3.11, modified.]

3.3

product analysis

chemical analysis carried out on a sample of the product taken after the final hot rolling operation

[SOURCE: ISO 404:2013, 3.12, modified.]

3.4

resolvable pearlite

two-phased structure in which ferrite and iron carbide lamellae can be clearly observed under optical microscopy in certain conditions

3.5

core segregation

local variation in chemical composition that is noticeable over a cross-section of wire rod (3.1) by macrographic examination and that concerns primarily the segregation resulting from a solidification process in continuous casting

Note 1 to entry: It is for this reason that an examination, specifically for carbon core segregation, will reveal the presence of segregation.

Note 2 to entry: A different technique is used to assess grain boundary cementite (which may be detrimental to further processing), the formation of which is related to carbon segregation and the cooling rate after wire rod rolling. However, grain boundary cementite should not be confused with core segregation.

3.6

surface discontinuity

measurable discontinuity in the surface of the wire rod (3.1), introduced at some point during the manufacturing process

3.7

mechanical damage

discernible contact which the wire rod (3.1) encounters after the rolling and coiling operation, i.e. during subsequent handling of the coil, and which marks the surface

Note 1 to entry: The contact can be introduced by abrasion or impact and can occur between coils or between the coil and any other material capable of inducing damage (concrete, steel or other materials).

Note 2 to entry: See [Annex C](#).

4 Classification

The classification of the steel grades covered by this document is indicated in ISO 16120-2, ISO 16120-3 and ISO 16120-4 for the corresponding steel grades.

5 Ordering information to be supplied by the purchaser

The following information shall be supplied by the purchaser at the time of enquiry and order, to enable the supplier to comply satisfactorily with the requirements of the ISO 16120 series:

- a) quantity to be delivered;
- b) cross-section and product type (e.g. round wire rod, square wire rod, hexagonal wire rod, etc.);
- c) nominal dimensions of the wire rod and tolerance class in accordance with ISO 16124 (if another tolerance class such as T1 is required);
- d) reference to the relevant part of ISO 16120, i.e. ISO 16120-2;
- e) steel grade, including any variations, and/or the addition of other elements, as permitted by ISO 16120-2 and ISO 16120-4;

(For steels according to ISO 16120-2 and ISO 16120-4, wire rod can also be ordered by the mean tensile strength; see ISO 16120-2:2017, Clause 3 and 4.6 and ISO 16120-4:2017, Clause 3 and 4.8. When ordering to tensile strength, it is necessary also to indicate the required tolerances on tensile strength ranges — Option A or Option B.)

- f) type of inspection and inspection document in accordance with ISO 10474 (or in accordance with other regional standards, e.g. EN 10204);
- g) surface condition (where different from the as-rolled condition);
- h) dimensions and mass of coils;
- i) where applicable, indication of the type of descaling (chemical cleaning or mechanical);
- j) where applicable, the amount of microalloying elements (see ISO 16120-2 and ISO 16120-4);
- k) where applicable, class B for the depth of decarburization (see ISO 16120-4);

NOTE If nothing is mentioned in the order, class A will be delivered;

- l) where applicable, the microstructure (see ISO 16120-4:2017, 4.11);
- m) where applicable, suitability for galvanizing;
- n) where applicable, suitability for direct drawing;