

SVENSK STANDARD

SS-EN 1839:2017



Fastställt/Approved: 2017-11-14
Publicerad/Published: 2017-11-14
Utgåva/Edition: 3
Språk/Language: engelska/English
ICS: 13.230

Explosiv atmosfär – Bestämning av explosionsgränser hos gaser och ångor och bestämning av LOC värdet för brandfarliga gaser och ångor

Determination of the explosion limits and the limiting oxygen concentration(LOC) for flammable gases and vapours

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-8029531>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 1839:2017 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 1839:2017.

Denna standard ersätter SS-EN 14756:2006, utgåva 1 och SS-EN 1839:2012, utgåva 2.

The European Standard EN 1839:2017 has the status of a Swedish Standard. This document contains the official version of EN 1839:2017.

This standard supersedes the Swedish Standard SS-EN 14756:2006, edition 1 and SS-EN 1839:2012, edition 2.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för SIS/SEK ATEX, SIS/TK 001.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 1839

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2017

ICS 13.230

Supersedes EN 14756:2006, EN 1839:2012

English Version

Determination of the explosion limits and the limiting oxygen concentration(LOC) for flammable gases and vapours

Détermination des limites d'explosivité des gaz et vapeurs et détermination de la concentration limite en oxygène (CLO) des gaz et des vapeurs inflammables

Bestimmung der Explosionsgrenzen und der Sauerstoffgrenzkonzentration (SGK) für brennbare Gase und Dämpfen

This European Standard was approved by CEN on 7 November 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

SS-EN 1839:2017 (E)

Contents	Page
European foreword.....	5
Introduction	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions	7
4 Test methods	9
4.1 General.....	9
4.2 Method T (“tube” method).....	10
4.2.1 Detailed method.....	10
4.2.2 Reagents and materials.....	10
4.2.3 Apparatus.....	11
Table 1 — Maximum permissible uncertainty of measurement for the amount of test substance in the test mixture.....	12
Figure 1 — Scheme of the ‘tube’ apparatus for determining the explosion limits resp. Limiting oxygen concentration	12
4.2.4 Preparation of the test mixture	13
4.2.5 Procedure.....	13
4.3 Method B (“bomb” method).....	14
4.3.1 Principle	14
4.3.2 Reagents and materials.....	14
4.3.3 Apparatus.....	14
4.3.4 Preparation of the test mixture	16
4.3.5 Procedure.....	17
4.3.6 Determination of explosion limits.....	17
4.3.7 Determination of the limiting oxygen concentration	18
4.4 Determination of the limiting oxygen concentration	18
4.4.1 Metering devices and additional equipment	18
4.4.2 Procedure.....	19
Figure 2 — Short procedure scheme for the determination of the LAC	20
Figure 3 — Extended procedure scheme for the determination of the LAC.....	21
4.5 Recording of results	22
4.5.1 General.....	22
4.5.2 Determination of explosion limits.....	22
4.5.3 Determination of the limiting oxygen concentration	23
5 Verification.....	23
6 Test report.....	23
Annex A (normative) Method for determination of the explosion limits and limiting oxygen concentration of substances that are difficult to ignite	25
A.1 Background	25
A.2 Explanation	25
A.2.1 Explosion criterion — flame detachment.....	25

A.2.2	Degree of halogenation.....	25
A.3	Apparatus	25
A.3.1	Test vessel	25
A.3.2	Reagents and materials	26
A.3.3	Ignition source.....	26
A.3.4	Equipment for preparing the test mixture	26
A.4	Safety equipment.....	26
A.5	Preparation of the test mixture.....	26
A.6	Procedure	27
A.6.1	Determination of LEL and UEL.....	27
A.6.2	Determination of LOC.....	27
Annex B (informative)	Conversion of the values for the explosion limits	28
B.1	Abbreviations and symbols.....	28
B.2	Substance characteristics of air.....	28
B.3	Definitions.....	29
B.4	Mixture preparation	29
B.5	Conversion	30
Table B.1	— Formulas for the conversion.....	31
Annex C (informative)	Examples to describe flame detachment	32
Annex D (informative)	Example of recommended evaporator equipment.....	33
Figure D.1	— Evaporator equipment for producing test mixtures from liquid flammable substances	33
Annex E (normative)	Safety measures	35
E.1	General	35
E.2	General safety measures	35
E.3	Additional safety measures concerning the tube method	35
Annex F (informative)	Examples of the determination of the LOC	36
F.1	Example 1: determination of the <i>LOC</i> - short procedure	36
Figure F.1	— Determination of the <i>LAC</i> of a ternary system of n-hexane, air and nitrogen at 100 °C and ambient pressure	36
F.2	Example 2: determination of the <i>LOC</i> - extended procedure	36
Figure F.2	— Determination of the <i>LAC</i> of a ternary system of hydrogen, air and nitrogen at 20 °C and ambient pressure.....	37
Annex G (normative)	Verification.....	38
Table G.1	— Data for verification of the apparatus with respect to the lower explosion limit	38
Table G.2	— Data for verification of the apparatus with respect to the upper explosion limit.....	38
Annex H (informative)	Example of a form expressing the results	40

SS-EN 1839:2017 (E)

Annex I (informative) Significant Changes between this European Standard and EN 1839:2012 and EN 14756:2006.....	42
Table I.1 — The significant changes with respect to EN 1839:2012 and EN 14756:2006.....	42
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2014/34/EU aimed to be covered.....	43
Table ZA.1 — Correspondence between this European Standard and Annex II of Directive 2014/34/EU	43
Bibliography.....	44

European foreword

This document (EN 1839:2017) has been prepared by Technical Committee CEN/TC 305 “Potentially explosive atmospheres - Explosion prevention and protection”, the secretariat of which is held by DIN.

This document supersedes EN 14756:2006, and EN 1839:2012.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2017, and conflicting national standards shall be withdrawn at the latest by January 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directives, see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

SS-EN 1839:2017 (E)

Introduction

The hazard of an explosion can be avoided by preventing the formation of explosive mixtures of gases and/or vapours with air. To do so, the explosion limits (also known as “flammability limits”) or the limiting oxygen concentration of the flammable substance need to be known. These limits depend mainly on:

- the properties of the flammable substance;
- temperature and pressure;
- size and shape of the test vessel;
- ignition source (type, energy);
- the criterion for self-propagating combustion;
- the inert gas (in case of the limiting oxygen concentration).

To obtain reliable and comparable results it is necessary to standardize the conditions for determining the explosion limits resp. the limiting oxygen concentration (i.e. apparatus and procedure). However, it is not possible to provide one single method that is suitable for all types of substances. For practical reasons, it is preferable to use apparatus that can also be used for the determination of other explosion characteristics. This European Standard, therefore, details two methods, namely, the tube method (method T) and the bomb method (method B). In general, the tube method gives a wider explosion range. Differences in the explosion limits and limiting oxygen concentration determined by the two methods can vary by up to 10 % relative.

For substances which are difficult to ignite, only a modified tube method is suitable. This is described in Annex A.

1 Scope

This European Standard specifies two test methods (method T and method B) to determine the explosion limits of gases, vapours and their mixtures, mixed with air or an air / inert gas mixture (volume fraction of the oxygen < 21 %) and the limiting oxygen concentration. This European Standard applies to gases, vapours and their mixtures at atmospheric pressure for temperatures up to 200 °C.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13237:2012, *Potentially explosive atmospheres - Terms and definitions for equipment and protective systems intended for use in potentially explosive atmospheres*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

flammable substance

substance in the form of gas, vapour or mixtures of these, able to undergo an exothermic reaction with air or air / inert gas mixture when ignited

[SOURCE: EN 13237:2012, 3.37, modified]

3.2

explosion range

range of the concentration of a flammable substance or mixture of substances in air, within which an explosion can occur, respectively range of the concentration of a flammable substance or mixture of substances in mixture with air / inert gas, within which an explosion can occur, determined under specified test conditions

[SOURCE: EN 13237:2012, 3.22, modified]

Note 1 to entry: The explosion limits are not part of the explosion range

3.3

lower explosion limit

LEL

lowest concentration of the explosion range

[SOURCE: EN 13237:2012, 3.19.1, modified]

Note 1 to entry: Those concentrations are given at which an explosion just fails during the tests.