

# SVENSK STANDARD

## SS-EN 847-2:2017

Fastställt/Approved: 2017-11-20  
Publicerad/Published: 2017-11-21  
Utgåva/Edition: 3  
Språk/Language: engelska/English  
ICS: 14.320; 79.020; 79.120.10

---

### **Träbearbetningsverktyg – Säkerhetskrav – Del 2: Krav på fäste på fräsverktyg**

### **Tools for woodworking – Safety requirements – Part 2: Requirements for the shank of shank mounted milling tools/circular saw blades**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-8029740>

# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN 847-2:2017 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 847-2:2017.

Denna standard ersätter SS-EN 847-2:2013, utgåva 2.

The European Standard EN 847-2:2017 has the status of a Swedish Standard. This document contains the official version of EN 847-2:2017.

This standard supersedes the Swedish Standard SS-EN 847-2:2013, edition 2.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Träbearbetningsmaskiner och -verktyg, SIS/TK 247.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN 847-2**

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2017

ICS 79.120.10

Supersedes EN 847-2:2013

English Version

## Tools for woodworking - Safety requirements - Part 2: Requirements for the shank of shank mounted milling tools/circular saw blades

Outils pour le travail du bois - Prescriptions de sécurité  
- Partie 2 : Prescriptions pour les queues des fraises à  
queue

Maschinen-Werkzeuge für Holzbearbeitung -  
Sicherheitstechnische Anforderungen - Teil 2:  
Anforderungen für den Schaft von  
Fräswerkzeugen/Kreissägeblätter

This European Standard was approved by CEN on 21 August 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**SS-EN 847-2:2017 (E)**

<b>Contents</b>		<b>Page</b>
European foreword.....		3
Introduction .....		4
1	Scope.....	5
2	Normative references.....	5
3	Terms and definitions .....	5
4	List of significant hazards .....	6
5	Safety requirements.....	6
5.1	General requirements for cylindrical shank.....	6
5.2	Stability of the shank of shank mounted tools .....	7
5.3	Stability of HSK mounted tools.....	13
6	Marking of tools with cylindrical shank .....	15
Annex A (informative) Examples of calculation.....		17
A.1	Example of calculation of $n_{\text{shank}}$ .....	17
A.2	Examples of calculations of $n_{\text{HSK}}$ .....	18
Annex B (normative) Method of measuring the eccentricity at clamping devices.....		19
Annex C (informative) Recommended minimum clamping forces .....		20
Bibliography.....		21

## **European foreword**

This document (EN 847-2:2017) has been prepared by Technical Committee CEN/TC 142 "Woodworking machines - Safety", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2018, and conflicting national standards shall be withdrawn at the latest by May 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 847-2:2013.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## **SS-EN 847-2:2017 (E)**

### **Introduction**

The content of this European Standard is aimed at eliminating hazards which can lead to overloading of the shank of shank mounted milling tools for woodworking by excessive rotational speeds.



## 1 Scope

This European Standard specifies the determination of the maximum speed for given eccentricity at clamping devices for the shank strength of milling tools with cylindrical and taper shank. It also specifies the marking of the tool. Bore mounted tools e.g. milling tools, circular saw blades which are mounted on an arbor should be considered as a shank mounted tool.

This European Standard complements EN 847-1:2017 and applies also for shank tools with a cutting diameter of less than 16 mm.

This European Standard is not applicable for shanks of tools according to this scope, which are manufactured before the date of its publication.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 847-1:2017, *Tools for woodworking — Safety requirements — Part 1: Milling tools, circular saw blades*

EN ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010)*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 847-1:2017 and the following apply.

### 3.1

#### **7/24 shank**

##### **SK**

type of tool holder with a 7/24 cone ratio taper

### 3.2

#### **hollow taper shank**

##### **HSK**

type of tool holder with a short hollow taper with high positioning accuracy and high grade of rigidity that contacts the spindle on two surfaces

### 3.3

#### **arbor**

device to be mounted on the machine spindle interface and which is designed to carry bore type cutting tools

**SS-EN 847-2:2017 (E)**

**4 List of significant hazards**

Table 1 shows the list of significant hazards.

**Table 1 — List of significant hazards**

Hazard according to EN ISO 12100:2010	Condition or causes of hazard related to the tool	Corresponding clause of EN 847-2
Mechanical hazards due to: Inadequacy of mechanical strength	Breaking of the tool	5
Vibration	Dynamic unbalance of tool	5
Variations in the rotational speed of tools	Breaking of the tool	5

**5 Safety requirements**

**5.1 General requirements for cylindrical shank**

The minimum value for the clamping length  $l_{e\ min}$  shall be as given in Table 2.

**Table 2 — Minimum clamping length  $l_{e\ min}$**

$d_2 \leq 10\ \text{mm}$	$10\ \text{mm} < d_2 < 25\ \text{mm}$	$d_2 \geq 25\ \text{mm}$
$l_{e\ min} = 20\ \text{mm}$	$l_{e\ min} = 2 \cdot d_2\ (\text{mm})$	$l_{e\ min} = 1,8 \cdot d_2\ (\text{mm})$

The tolerance of the shank diameter  $d_2$  shall be h6 for  $d_2 \geq 12\ \text{mm}$  and h8 for  $d_2 < 12\ \text{mm}$ .

## 5.2 Stability of the shank of shank mounted tools

### 5.2.1 General

For descriptions of symbols for the stability of the shank of shank mounted tools, see Table 3.

**Table 3 — Stability of the shank of shank mounted tools — Symbols and units**

Symbol	Description	Unit
$d$	diameter a) shank diameter $d_2$ b) cone diameter $d_3$ c) with axial force: $d_4$ (calculated); without axial force: $d_{\text{arbor}}$	mm
$d_{\text{cut}}$	maximum diameter of the cutting part	mm
$d_2$	shank diameter, see Figure 2	mm
$d_3$	cone diameter, see Figure 3	mm
$d_4$	calculated hub diameter, see Figure 4	mm
$d_{\text{arbor}}$	shank diameter of the arbor, see Figure 4	mm
$E$	modulus of elasticity of the shank material	$\text{N mm}^{-2}$
$e_{\text{sp}}$	maximum permissible eccentricity at clamping device	mm
$f$	form factor	—
$f_s$	safety factor ( $f_s = 4$ )	—
$F_a$	axial clamping force, see Figure 4	N
$G$	balance quality grade of the tool set (individual tools, arbor, spacers, HSK); product of the permissible eccentricity and the angular velocity according to EN 847-1:2017	$\text{mm s}^{-1}$
$I$	second moment of area	$\text{mm}^4$
$l_{\text{cut}}$	height of cutting part	mm
$l_0$	free shank length	mm
$l_1, l_2, l_3, \dots$	axial distance of the gravity centre of the mass $m_1, m_2, m_3, \dots$	mm
$l_s$	axial distance of gravity centre, see Figure 1	mm
$l_e$	clamping length	mm
$l_g$	total length of shank	mm
$m_1, m_2, m_3, \dots$	mass of the parts of the tool set, see Figure 1	g
$m_{\text{cut}}$	mass of the cutting part in the area of $l_{\text{cut}}$ , see Figure 2	g
$m^*$	mass of the tool in the area ( $l_0 + l_{\text{cut}}$ )	g
$m_{\text{cut}}^*$	reduced mass of the cutting part, see Figure 2	g
$n$	operational speed	$\text{min}^{-1}$
$n_{\text{shank}}$	maximum permissible rotational speed with regard to shank strength	$\text{min}^{-1}$
$S$	centre of gravity	—